

Site Description

Study Name	CBWQ-Arrow
Site	NEBUR01
Sampling Date	Sep 14 2009
Know Your Watershed Basin	Central Columbia
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.96756 N, 117.88281 W
Altitude	1673
Local Basin Name	Burton Cr.
	Columbia River
Stream Order	5



Figure 1. Location Map



Across Reach
Aerial (No image found)



Down Stream

A handwritten field sheet form with various sections for data entry, including site information, sampling methods, and a site location map. The form is filled with handwritten text and checkmarks.

Field Sheet

Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 04, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	0.1%	7.1%	6.8%	68.8%	17.2%
CABIN Assessment of NEBUR01 on Sep 14, 2009	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Eco Analysts, EcoAnalysts
Date Taxonomy Completed	February 26, 2010
	Marchant Box
Sub-Sample Proportion	16/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Arthropoda	Arachnida	Trombidiformes	Lebertiidae	1	6.3
			Insecta	Coleoptera	1
	Diptera	Ceratopogonidae	1	6.3	
		Chironomidae	23	143.8	
		Empididae	2	12.5	
		Psychodidae	1	6.3	
		Tipulidae	5	31.3	
		Ephemeroptera	Ameletidae	2	12.5
			Baetidae	71	443.8
		Ephemerellidae	24	150.0	
		Heptageniidae	143	893.8	
		Leptophlebiidae	4	25.0	
		Plecoptera	Chloroperlidae	5	31.3
			Leuctridae	1	6.3
Nemouridae	5		31.3		

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Perlidae	3	18.8
			Perlodidae	8	50.0
			Taeniopterygidae	4	25.0
		Trichoptera	Apataniidae	2	12.5
			Brachycentridae	1	6.3
			Glossosomatidae	12	75.0
			Lepidostomatidae	2	12.5
			Rhyacophilidae	4	25.0
			Total	325	2,031.9

Metrics

Name	NEBUR01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.69	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.5	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	2.0	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	0.3	2.2 \pm 1.8
% Gatherers	23.4	38.4 \pm 12.4
% Predatores	14.5	19.0 \pm 8.5
% Scrapers	73.5	63.2 \pm 19.7
% Shredder	6.5	27.6 \pm 15.2
No. Clinger Taxa	15.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	7.1	7.4 \pm 6.4
% Coleoptera	0.3	1.5 \pm 3.9
% Diptera + Non-insects	10.2	10.8 \pm 7.6
% Ephemeroptera	75.1	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	29.1	40.6 \pm 30.0
% EPT Individuals	89.5	87.7 \pm 7.4
% Odonata	--	0.0 \pm 0.0
% of 2 dominant taxa	65.8	57.9 \pm 14.2
% of 5 dominant taxa	84.0	81.6 \pm 7.9
% of dominant taxa	44.0	39.8 \pm 14.9
% Plecoptera	8.0	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 \pm 26.2
% Tricoptera	6.5	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.9	0.9 \pm 0.1
Total Abundance	2031.3	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	1.0	0.4 \pm 0.5
Diptera taxa	5.0	3.3 \pm 1.0
Ephemeroptera taxa	5.0	3.8 \pm 0.8
EPT Individuals (Sum)	1818.8	526.0 \pm 285.8
EPT taxa (no)	16.0	13.3 \pm 2.7
Odonata taxa	--	0.0 \pm 0.0
Pielou's Evenness	0.6	0.7 \pm 0.1
Plecoptera taxa	6.0	6.3 \pm 1.1
Shannon-Wiener Diversity	1.9	1.9 \pm 0.4
Simpson's Diversity	0.7	0.8 \pm 0.1
Simpson's Evenness	0.2	0.3 \pm 0.1
Total No. of Taxa	23.0	19.3 \pm 3.7
Trichoptera taxa	5.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.82
Chironomidae	100%	100%	100%	100%	95%	0.99
Chloroperlidae	78%	88%	94%	100%	100%	0.99
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.77
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.90

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.59
RIVPACS : Observed taxa P>0.50	14.00
RIVPACS : O:E (p > 0.5)	1.03
RIVPACS : Expected taxa P>0.70	11.24
RIVPACS : Observed taxa P>0.70	10.00
RIVPACS : O:E (p > 0.7)	0.89

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	88.94617	11.07346 \pm 28.63466
Metamorphic (%)	10.03602	17.96649 \pm 35.53463
Sedimentary (%)	1.01781	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.00000	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	18.5	23.6 \pm 11.1
Depth-BankfullMinusWetted (cm)	16.00	51.38 \pm 29.42
Depth-Max (cm)	23.0	34.6 \pm 12.3
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 \pm 0.78
Reach-DomStreamsideVeg (Category (1-4))	4	4 \pm 1
Reach-Pools (Binary)	0	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	1	1 \pm 1
Slope (m/m)	0.0055000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	1	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.57	0.48 \pm 0.22
Velocity-Max (m/s)	0.77	0.76 \pm 0.36
Width-Bankfull (m)	30.5	13.4 \pm 9.9
Width-Wetted (m)	14.5	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	1	1 \pm 0
Climate		
Precip01_JAN (mm)	136.50000	104.85000 \pm 26.28129
Precip02_FEB (mm)	113.50000	83.66667 \pm 27.10278
Precip03_MAR (mm)	104.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	136.50000	104.85000 \pm 26.28129
Precip05_MAY (mm)	85.50000	71.65833 \pm 17.81753
Precip06_JUN (mm)	96.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	75.50000	64.39167 \pm 10.41611

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Precip08_AUG (mm)	72.50000	60.53056 \pm 10.43373
Precip09_SEP (mm)	69.00000	56.91944 \pm 10.91783
Precip10_OCT (mm)	82.50000	65.08056 \pm 14.41229
Precip11_NOV (mm)	128.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	150.50000	116.84444 \pm 29.80954
PrecipTotal_ANNUAL (mm)	1195.50000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-5.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-11.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.50000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-9.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	1.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	5.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-3.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	10.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.50000	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	13.00000	15.72500 \pm 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	17.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.50000	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	17.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.50000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	12.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.50000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.50000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.50000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.50000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-10.50000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	5.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	1.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-2.50000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km^2)	156.03797	124.42081 \pm 200.99192
Perimeter (Km)	96.29101	64.71360 \pm 56.15436
StreamDensity (m/km^2)	3088.41775	2246.06682 \pm 604.89962
StreamLength (m)	481910.43	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	2.15359	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	0.52673	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	55.67391	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	1.69933	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	18.72158	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	5.14233	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.22226	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.64975	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.29041	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Natl-SnowIce (%)	0.02825	0.08491 \pm 0.15475
Natl-Water (%)	0.31107	0.22916 \pm 0.36834
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.02206	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	2	9 \pm 9
%Cobble (%)	58	51 \pm 15
%Gravel (%)	3	3 \pm 3
%Pebble (%)	37	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	7.30	15.12 \pm 14.26
Dg (cm)	7.4	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	5	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	2	1 \pm 0
SurroundingMaterial (Category(0-9))	6	4 \pm 1
Topography		
ElevationMax (m)	2735.00000	2634.66667 \pm 309.54023
ElevationMin (m)	457.00000	913.41667 \pm 271.25180
ElevationStdev (m)	449.76775	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	17.01000	18.88386 \pm 9.29866
Slope30-50% (%)	28.38185	29.00215 \pm 6.33837
Slope50-60% (%)	14.69809	13.91808 \pm 1.91315
SlopeAvg (%)	52.80717	52.79851 \pm 8.68755
SlopeGT60% (%)	36.42654	35.47207 \pm 13.39684
SlopeLT30% (%)	20.49352	21.60770 \pm 8.54172
SlopeMax (%)	261.08899	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	26.65419	26.57529 \pm 4.62351
Water Chemistry		
Ca (mg/L)	13.6000000	21.1083333 \pm 16.8005659
General-Alkalinity (mg/L)	40.0000000	71.7000000 \pm 53.9231440
General-Conductivity (μ S/cm)	89.0000000	121.8083333 \pm 87.6800844
General-Hardness (mg/L)	42.6000000	84.2750000 \pm 70.6251066
General-pH (pH)	7.7	7.9 \pm 0.4
General-SolidsTSS (mg/L)	2.0000000	0.8849836 \pm 1.2378575
General-TempAir (Degrees Celsius)	23.2	26.0
General-TempWater (Degrees Celsius)	13.3000000	7.3183333 \pm 2.7240839
Mg (mg/L)	2.0800000	7.6666667 \pm 7.9748848
Nitrogen-TN (mg/L)	0.1600000	0.0883333 \pm 0.0521943
Phosphorus-TP (mg/L)	0.0100000	0.0045833 \pm 0.0049992

Site Description

Study Name	CBWQ-Arrow
Site	NEBUR01
Sampling Date	Oct 03 2010
Know Your Watershed Basin	Central Columbia
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.96756 N, 117.88278 W
Altitude	1673
Local Basin Name	Burton Cr.
	Columbia River
Stream Order	5




Figure 1. Location Map

Across Reach
Aerial (No image found)



Down Stream



Field Sheet

Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 04, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	0.4%	6.3%	6.6%	70.3%	16.4%
CABIN Assessment of NEBUR01 on Oct 03, 2010	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Gary Lester, Ecoanalysts Inc.
Date Taxonomy Completed	March 09, 2011
	Marchant Box
Sub-Sample Proportion	21/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count	
Arthropoda	Arachnida	Sarcoptiformes		1	4.8	
		Trombidiformes	Lebertiidae	2	9.5	
	Insecta	Coleoptera		Elmidae	2	9.5
			Diptera	Ceratopogonidae	1	4.8
				Chironomidae	50	238.1
				Psychodidae	7	33.3
				Tipulidae	5	23.8
			Ephemeroptera	Baetidae	72	342.9
				Ephemerellidae	23	109.5
				Heptageniidae	99	471.4
				Leptophlebiidae	1	4.8
			Plecoptera	Capniidae	3	14.3
				Chloroperlidae	15	71.4
		Nemouridae	8	38.1		
		Perlidae	4	19.0		

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Perlodidae	2	9.5
			Taeniopterygidae	15	71.4
		Trichoptera	Apataniidae	8	38.1
			Brachycentridae	2	9.5
			Lepidostomatidae	1	4.8
			Rhyacophilidae	6	28.6
			Total	327	1,557.1

Metrics

Name	NEBUR01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.56	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.8	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	2.0	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	0.6	2.2 \pm 1.8
% Gatherers	39.4	38.4 \pm 12.4
% Predators	24.5	19.0 \pm 8.5
% Scrapers	64.8	63.2 \pm 19.7
% Shredder	13.5	27.6 \pm 15.2
No. Clinger Taxa	14.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	15.3	7.4 \pm 6.4
% Coleoptera	0.6	1.5 \pm 3.9
% Diptera + Non-insects	19.9	10.8 \pm 7.6
% Ephemeroptera	59.8	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	36.9	40.6 \pm 30.0
% EPT Individuals	79.4	87.7 \pm 7.4
% Odonata	--	0.0 \pm 0.0
% of 2 dominant taxa	52.5	57.9 \pm 14.2
% of 5 dominant taxa	79.5	81.6 \pm 7.9
% of dominant taxa	30.4	39.8 \pm 14.9
% Plecoptera	14.4	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 \pm 26.2
% Tricoptera	5.2	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.8	0.9 \pm 0.1
Total Abundance	1557.0	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	1.0	0.4 \pm 0.5
Diptera taxa	4.0	3.3 \pm 1.0
Ephemeroptera taxa	4.0	3.8 \pm 0.8
EPT Individuals (Sum)	1233.3	526.0 \pm 285.8
EPT taxa (no)	14.0	13.3 \pm 2.7
Odonata taxa	--	0.0 \pm 0.0
Pielou's Evenness	0.7	0.7 \pm 0.1
Plecoptera taxa	6.0	6.3 \pm 1.1
Shannon-Wiener Diversity	2.1	1.9 \pm 0.4
Simpson's Diversity	0.8	0.8 \pm 0.1
Simpson's Evenness	0.3	0.3 \pm 0.1
Total No. of Taxa	20.0	19.3 \pm 3.7
Trichoptera taxa	4.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Capniidae	78%	55%	50%	92%	68%	0.83
Chironomidae	100%	100%	100%	100%	95%	0.99
Chloroperlidae	78%	88%	94%	100%	100%	0.99
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.78
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.90

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.62
RIVPACS : Observed taxa P>0.50	12.00
RIVPACS : O:E (p > 0.5)	0.88
RIVPACS : Expected taxa P>0.70	11.26
RIVPACS : Observed taxa P>0.70	11.00
RIVPACS : O:E (p > 0.7)	0.98

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	88.94617	11.07346 \pm 28.63466
Metamorphic (%)	10.03602	17.96649 \pm 35.53463
Sedimentary (%)	1.01781	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.00000	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	24.7	23.6 \pm 11.1
Depth-BankfullMinusWetted (cm)	110.00	51.38 \pm 29.42
Depth-Max (cm)	46.0	34.6 \pm 12.3
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 \pm 0.78
Reach-DomStreamsideVeg (Category (1-4))	4	4 \pm 1
Reach-Pools (Binary)	0	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	1	1 \pm 1
Slope (m/m)	0.0190000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	0	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.74	0.48 \pm 0.22
Velocity-Max (m/s)	1.17	0.76 \pm 0.36
Width-Bankfull (m)	32.0	13.4 \pm 9.9
Width-Wetted (m)	20.0	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	1	1 \pm 0
Climate		
Precip01_JAN (mm)	136.50000	104.85000 \pm 26.28129
Precip02_FEB (mm)	113.50000	83.66667 \pm 27.10278
Precip03_MAR (mm)	104.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	136.50000	104.85000 \pm 26.28129
Precip05_MAY (mm)	85.50000	71.65833 \pm 17.81753
Precip06_JUN (mm)	96.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	75.50000	64.39167 \pm 10.41611
Precip08_AUG (mm)	72.50000	60.53056 \pm 10.43373

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Precip09_SEP (mm)	69.00000	56.91944 \pm 10.91783
Precip10_OCT (mm)	82.50000	65.08056 \pm 14.41229
Precip11_NOV (mm)	128.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	150.50000	116.84444 \pm 29.80954
PrecipTotal_ANNUAL (mm)	1195.50000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-5.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-11.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.50000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-9.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	1.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	5.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-3.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	10.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.50000	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	13.00000	15.72500 \pm 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	17.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.50000	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	17.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.50000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	12.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.50000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.50000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.50000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.50000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-10.50000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	5.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	1.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-2.50000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	156.03797	124.42081 \pm 200.99192
Perimeter (Km)	96.29101	64.71360 \pm 56.15436
StreamDensity (m/km ²)	3088.41775	2246.06682 \pm 604.89962
StreamLength (m)	481910.43	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	2.15359	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	0.52673	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	55.67391	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	1.69933	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	18.72158	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	5.14233	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.22226	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.64975	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.29041	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	0.02825	0.08491 \pm 0.15475

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Natl-Water (%)	0.31107	0.22916 \pm 0.36834
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.02206	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	2	9 \pm 9
%Cobble (%)	61	51 \pm 15
%Gravel (%)	2	3 \pm 3
%Pebble (%)	35	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	9.20	15.12 \pm 14.26
Dg (cm)	8.0	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	5	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	3	1 \pm 0
Topography		
ElevationMax (m)	2735.00000	2634.66667 \pm 309.54023
ElevationMin (m)	457.00000	913.41667 \pm 271.25180
ElevationStdev (m)	449.76775	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	17.01000	18.88386 \pm 9.29866
Slope30-50% (%)	28.38185	29.00215 \pm 6.33837
Slope50-60% (%)	14.69809	13.91808 \pm 1.91315
SlopeAvg (%)	52.80717	52.79851 \pm 8.68755
SlopeGT60% (%)	36.42654	35.47207 \pm 13.39684
SlopeLT30% (%)	20.49352	21.60770 \pm 8.54172
SlopeMax (%)	261.08899	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	26.65419	26.57529 \pm 4.62351
Water Chemistry		
General-Alkalinity (mg/L)	28.0000000	71.7000000 \pm 53.9231440
General-DO (mg/L)	11.0000000	11.4175000 \pm 0.7986708
General-pH (pH)	7.5	7.9 \pm 0.4
General-SpCond (μ S/cm)	65.3000000	168.9833333 \pm 123.7858182
General-TempAir (Degrees Celsius)	9.5	26.0
General-TempWater (Degrees Celsius)	8.7000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	0.2100000	0.2020000
Nitrogen-NO2 (mg/L)	0.0025000	0.0027500 \pm 0.0062831
Nitrogen-NO2+NO3 (mg/L)	0.0400000	0.0690000
Nitrogen-NO3 (mg/L)	0.0400000	0.0546667 \pm 0.0498148
Phosphorus-OrthoP (mg/L)	0.0025000	0.0002727 \pm 0.0004671

Site Description

Study Name	CBWQ-Arrow
Site	NEBUR01
Sampling Date	Oct 10 2011
Know Your Watershed Basin	Central Columbia
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.96722 N, 117.88250 W
Altitude	1537
Local Basin Name	Burton Cr.
	Columbia River
Stream Order	5



Figure 1. Location Map

Across Reach
Aerial (No image found)



Down Stream



Field Sheet

Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary

Cabin Assessment Results

Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 04, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	0.2%	6.8%	6.7%	69.3%	17.0%
CABIN Assessment of NEBUR01 on Oct 10, 2011	Mildly Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Eco Analysts, EcoAnalysts
Date Taxonomy Completed	January 27, 2012
	Marchant Box

Sample Information

Sub-Sample Proportion	5/100
------------------------------	-------

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Arthropoda	Arachnida	Trombidiformes	Lebertiidae	3	60.0
	Insecta	Diptera	Chironomidae	15	300.0
Empididae			4	80.0	
Psychodidae			11	220.0	
Tipulidae			2	40.0	
Ameletidae			1	20.0	
Ephemeroptera		Baetidae	144	2,880.0	
		Ephemerellidae	26	520.0	
		Heptageniidae	103	2,060.0	
		Plecoptera	Chloroperlidae	6	120.0
			Leuctridae	1	20.0
			Nemouridae	5	100.0
			Perlidae	1	20.0
		Trichoptera	Perlodidae	8	160.0
Taeniopterygidae			30	600.0	
Apataniidae			2	40.0	
Brachycentridae			1	20.0	
Lepidostomatidae			1	20.0	
Rhyacophilidae			4	80.0	
Total					368

Metrics

Name	NEBUR01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.88	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.7	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	1.0	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	0.3	2.2 \pm 1.8
% Gatherers	26.4	38.4 \pm 12.4
% Predatores	11.1	19.0 \pm 8.5
% Scrapers	77.4	63.2 \pm 19.7
% Shredder	11.4	27.6 \pm 15.2
No. Clinger Taxa	12.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	4.1	7.4 \pm 6.4
% Coleoptera	0.0	1.5 \pm 3.9
% Diptera + Non-insects	9.5	10.8 \pm 7.6
% Ephemeroptera	74.5	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	52.6	40.6 \pm 30.0
% EPT Individuals	90.5	87.7 \pm 7.4
% Odonata	--	0.0 \pm 0.0
% of 2 dominant taxa	67.1	57.9 \pm 14.2
% of 5 dominant taxa	86.4	81.6 \pm 7.9
% of dominant taxa	39.1	39.8 \pm 14.9
% Plecoptera	13.9	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 \pm 26.2
% Tricoptera	2.2	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	1.0	0.9 \pm 0.1
Total Abundance	7360.0	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	0.0	0.4 \pm 0.5
Diptera taxa	4.0	3.3 \pm 1.0

Metrics

Name	NEBUR01	Predicted Group Reference Mean \pm SD
Ephemeroptera taxa	4.0	3.8 \pm 0.8
EPT Individuals (Sum)	6660.0	526.0 \pm 285.8
EPT taxa (no)	14.0	13.3 \pm 2.7
Odonata taxa	--	0.0 \pm 0.0
Pielou's Evenness	0.6	0.7 \pm 0.1
Plecoptera taxa	6.0	6.3 \pm 1.1
Shannon-Wiener Diversity	1.8	1.9 \pm 0.4
Simpson's Diversity	0.8	0.8 \pm 0.1
Simpson's Evenness	0.2	0.3 \pm 0.1
Total No. of Taxa	19.0	19.3 \pm 3.7
Trichoptera taxa	4.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.82
Chironomidae	100%	100%	100%	100%	95%	0.99
Chloroperlidae	78%	88%	94%	100%	100%	0.99
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.78
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.90

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.60
RIVPACS : Observed taxa P>0.50	14.00
RIVPACS : O:E (p > 0.5)	1.03
RIVPACS : Expected taxa P>0.70	11.25
RIVPACS : Observed taxa P>0.70	10.00
RIVPACS : O:E (p > 0.7)	0.89

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	88.94617	11.07346 \pm 28.63466
Metamorphic (%)	10.03602	17.96649 \pm 35.53463
Sedimentary (%)	1.01781	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.00000	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	20.4	23.6 \pm 11.1
Depth-BankfullMinusWetted (cm)	22.00	51.38 \pm 29.42
Depth-Max (cm)	35.5	34.6 \pm 12.3
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 \pm 0.78
Reach-DomStreamsideVeg (Category (1-4))	4	4 \pm 1
Reach-Pools (Binary)	1	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	1	1 \pm 1
Slope (m/m)	0.0476000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	1	1 \pm 0

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	0	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.32	0.48 \pm 0.22
Velocity-Max (m/s)	0.94	0.76 \pm 0.36
Width-Bankfull (m)	69.0	13.4 \pm 9.9
Width-Wetted (m)	35.0	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	1	1 \pm 0
Climate		
Precip01_JAN (mm)	136.50000	104.85000 \pm 26.28129
Precip02_FEB (mm)	113.50000	83.66667 \pm 27.10278
Precip03_MAR (mm)	104.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	136.50000	104.85000 \pm 26.28129
Precip05_MAY (mm)	85.50000	71.65833 \pm 17.81753
Precip06_JUN (mm)	96.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	75.50000	64.39167 \pm 10.41611
Precip08_AUG (mm)	72.50000	60.53056 \pm 10.43373
Precip09_SEP (mm)	69.00000	56.91944 \pm 10.91783
Precip10_OCT (mm)	82.50000	65.08056 \pm 14.41229
Precip11_NOV (mm)	128.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	150.50000	116.84444 \pm 29.80954
PrecipTotal_ANNUAL (mm)	1195.50000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-5.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-11.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.50000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-9.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	1.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	5.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-3.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	10.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.50000	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	13.00000	15.72500 \pm 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	17.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.50000	6.35833 \pm 2.8332
Temp08_AUGmax (Degrees Celsius)	17.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.50000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	12.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.50000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.50000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.50000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.50000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-10.50000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	5.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	1.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-2.50000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	156.03797	124.42081 \pm 200.99192
Perimeter (Km)	96.29101	64.71360 \pm 56.15436
StreamDensity (m/km ²)	3088.41775	2246.06682 \pm 604.89962
StreamLength (m)	481910.43	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	2.15359	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	0.52673	0.64845 \pm 0.37668

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Natl-ConiferousOpen (%)	55.67391	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	1.69933	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	18.72158	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	5.14233	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.22226	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.64975	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.29041	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	0.02825	0.08491 \pm 0.15475
Natl-Water (%)	0.31107	0.22916 \pm 0.36834
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.02206	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	1	9 \pm 9
%Cobble (%)	76	51 \pm 15
%Gravel (%)	0	3 \pm 3
%Pebble (%)	23	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	10.25	15.12 \pm 14.26
Dg (cm)	9.5	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	7	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	4	1 \pm 0
Topography		
ElevationMax (m)	2735.00000	2634.66667 \pm 309.54023
ElevationMin (m)	457.00000	913.41667 \pm 271.25180
ElevationStdev (m)	449.76775	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	17.01000	18.88386 \pm 9.29866
Slope30-50% (%)	28.38185	29.00215 \pm 6.33837
Slope50-60% (%)	14.69809	13.91808 \pm 1.91315
SlopeAvg (%)	52.80717	52.79851 \pm 8.68755
SlopeGT60% (%)	36.42654	35.47207 \pm 13.39684
SlopeLT30% (%)	20.49352	21.60770 \pm 8.54172
SlopeMax (%)	261.08899	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	26.65419	26.57529 \pm 4.62351
Water Chemistry		
General-Alkalinity (mg/L)	48.0000000	71.7000000 \pm 53.9231440
General-DO (mg/L)	10.0000000	11.4175000 \pm 0.7986708
General-pH (pH)	7.9	7.9 \pm 0.4
General-SpCond (μ S/cm)	92.2000000	168.9833333 \pm 123.7858182
General-TempAir (Degrees Celsius)	10.0	26.0
General-TempWater (Degrees Celsius)	10.3000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	1.3000000	0.2020000
Nitrogen-NO2 (mg/L)	0.0025000	0.0027500 \pm 0.0062831
Nitrogen-NO2+NO3 (mg/L)	11.2000000	0.0690000
Nitrogen-NO3 (mg/L)	11.2000000	0.0546667 \pm 0.0498148
Phosphorus-OrthoP (mg/L)	0.0025000	0.0002727 \pm 0.0004671

Site Description

Study Name	CBWQ-Arrow
Site	NEBUR01
Sampling Date	Oct 01 2012
Know Your Watershed Basin	Central Columbia
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.96736 N, 117.88257 W
Altitude	1537
Local Basin Name	Burton Cr.
	Columbia River
Stream Order	5




Figure 1. Location Map

Across Reach
Aerial (No image found)



Down Stream



Field Sheet

Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 04, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	0.2%	6.9%	6.7%	69.2%	17.0%
CABIN Assessment of NEBUR01 on Oct 01, 2012	Mildly Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Eco Analsyts, EcoAnalysts
Date Taxonomy Completed	February 11, 2013
	Marchant Box
Sub-Sample Proportion	8/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count	
Arthropoda	Insecta	Diptera	Chironomidae	5	62.5	
			Ephemeroptera	Baetidae	43	537.5
				Ephemerellidae	16	200.0
				Heptageniidae	47	587.5
			Plecoptera	Chloroperlidae	16	200.0
				Leuctridae	6	75.0
				Nemouridae	9	112.5
				Perlodidae	2	25.0
				Taeniopterygidae	196	2,450.0
			Trichoptera	Rhyacophilidae	5	62.5
		Total		345	4,312.5	

Metrics

Name	NEBUR01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.81	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	2.4	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	--	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	--	2.2 \pm 1.8
% Gatherers	70.1	38.4 \pm 12.4
% Predatores	8.1	19.0 \pm 8.5
% Scrapers	87.5	63.2 \pm 19.7
% Shredder	61.2	27.6 \pm 15.2
No. Clinger Taxa	9.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	1.4	7.4 \pm 6.4
% Coleoptera	0.0	1.5 \pm 3.9
% Diptera + Non-insects	1.4	10.8 \pm 7.6
% Ephemeroptera	30.7	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	40.6	40.6 \pm 30.0
% EPT Individuals	98.6	87.7 \pm 7.4
% Odonata	--	0.0 \pm 0.0
% of 2 dominant taxa	70.4	57.9 \pm 14.2
% of 5 dominant taxa	92.2	81.6 \pm 7.9
% of dominant taxa	56.8	39.8 \pm 14.9
% Plecoptera	66.4	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 \pm 26.2
% Tricoptera	1.4	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	1.0	0.9 \pm 0.1
Total Abundance	4312.5	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	0.0	0.4 \pm 0.5
Diptera taxa	1.0	3.3 \pm 1.0
Ephemeroptera taxa	3.0	3.8 \pm 0.8
EPT Individuals (Sum)	4250.0	526.0 \pm 285.8
EPT taxa (no)	9.0	13.3 \pm 2.7
Odonata taxa	--	0.0 \pm 0.0
Pielou's Evenness	0.6	0.7 \pm 0.1
Plecoptera taxa	5.0	6.3 \pm 1.1
Shannon-Wiener Diversity	1.5	1.9 \pm 0.4
Simpson's Diversity	0.6	0.8 \pm 0.1
Simpson's Evenness	0.3	0.3 \pm 0.1
Total No. of Taxa	10.0	19.3 \pm 3.7
Trichoptera taxa	1.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.82
Chironomidae	100%	100%	100%	100%	95%	0.99
Chloroperlidae	78%	88%	94%	100%	100%	0.99
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.78
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.90

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.60
RIVPACS : Observed taxa P>0.50	10.00
RIVPACS : O:E (p > 0.5)	0.74
RIVPACS : Expected taxa P>0.70	11.24
RIVPACS : Observed taxa P>0.70	9.00
RIVPACS : O:E (p > 0.7)	0.80

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	88.94617	11.07346 \pm 28.63466
Metamorphic (%)	10.03602	17.96649 \pm 35.53463
Sedimentary (%)	1.01781	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.00000	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	20.2	23.6 \pm 11.1
Depth-BankfullMinusWetted (cm)	20.20	51.38 \pm 29.42
Depth-Max (cm)	40.0	34.6 \pm 12.3
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 \pm 0.78
Reach-DomStreamsideVeg (Category (1-4))	4	4 \pm 1
Reach-Pools (Binary)	0	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	1	1 \pm 1
Slope (m/m)	0.0157000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	0	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.41	0.48 \pm 0.22
Velocity-Max (m/s)	1.17	0.76 \pm 0.36
Width-Bankfull (m)	19.0	13.4 \pm 9.9
Width-Wetted (m)	12.0	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	1	1 \pm 0
Climate		
Precip01_JAN (mm)	136.50000	104.85000 \pm 26.28129
Precip02_FEB (mm)	113.50000	83.66667 \pm 27.10278
Precip03_MAR (mm)	104.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	136.50000	104.85000 \pm 26.28129
Precip05_MAY (mm)	85.50000	71.65833 \pm 17.81753
Precip06_JUN (mm)	96.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	75.50000	64.39167 \pm 10.41611
Precip08_AUG (mm)	72.50000	60.53056 \pm 10.43373
Precip09_SEP (mm)	69.00000	56.91944 \pm 10.91783
Precip10_OCT (mm)	82.50000	65.08056 \pm 14.41229
Precip11_NOV (mm)	128.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	150.50000	116.84444 \pm 29.80954
PrecipTotal_ANNUAL (mm)	1195.50000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-5.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-11.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.50000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-9.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	1.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	5.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-3.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	10.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.50000	1.04722 \pm 2.08663

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Temp06_JUNMax (Degrees Celsius)	13.00000	15.72500 \pm 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	17.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.50000	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	17.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.50000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	12.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.50000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.50000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.50000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.50000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-10.50000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	5.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	1.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-2.50000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	156.03797	124.42081 \pm 200.99192
Perimeter (Km)	96.29101	64.71360 \pm 56.15436
StreamDensity (m/km ²)	3088.41775	2246.06682 \pm 604.89962
StreamLength (m)	481910.43	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	2.15359	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	0.52673	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	55.67391	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	1.69933	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	18.72158	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	5.14233	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.22226	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.64975	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.29041	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	0.02825	0.08491 \pm 0.15475
Natl-Water (%)	0.31107	0.22916 \pm 0.36834
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.02206	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	3	9 \pm 9
%Cobble (%)	76	51 \pm 15
%Gravel (%)	0	3 \pm 3
%Pebble (%)	21	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	9.80	15.12 \pm 14.26

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Dg (cm)	10.0	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	7	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	1	1 \pm 0
SurroundingMaterial (Category(0-9))	1	4 \pm 1
Topography		
ElevationMax (m)	2735.00000	2634.66667 \pm 309.54023
ElevationMin (m)	457.00000	913.41667 \pm 271.25180
ElevationStdev (m)	449.76775	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	17.10000	18.88386 \pm 9.29866
Slope30-50% (%)	28.38185	29.00215 \pm 6.33837
Slope50-60% (%)	14.69809	13.91808 \pm 1.91315
SlopeAvg (%)	52.80717	52.79851 \pm 8.68755
SlopeGT60% (%)	36.42654	35.47207 \pm 13.39684
SlopeLT30% (%)	20.49352	21.60770 \pm 8.54172
SlopeMax (%)	261.08899	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	26.65419	26.57529 \pm 4.62351
Water Chemistry		
General-Alkalinity (mg/L)	44.4000000	71.7000000 \pm 53.9231440
General-DO (mg/L)	10.0000000	11.4175000 \pm 0.7986708
General-pH (pH)	7.7	7.9 \pm 0.4
General-SpCond (μ S/cm)	111.2000000	168.9833333 \pm 123.7858182
General-TempAir (Degrees Celsius)	9.0	26.0
General-TempWater (Degrees Celsius)	8.6000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	0.5700000	0.2020000
Nitrogen-NO2 (mg/L)	0.0025000	0.0027500 \pm 0.0062831
Nitrogen-NO2+NO3 (mg/L)	0.0200000	0.0690000
Nitrogen-NO3 (mg/L)	0.0200000	0.0546667 \pm 0.0498148
Phosphorus-OrthoP (mg/L)	0.0025000	0.0002727 \pm 0.0004671

Site Description

Study Name	CBWQ-Arrow
Site	NEBUR01
Sampling Date	Sep 23 2013
Know Your Watershed Basin	Central Columbia
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.96750 N, 117.88250 W
Altitude	1537
Local Basin Name	Burton Cr.
	Columbia River
Stream Order	5



Figure 1. Location Map

Across Reach
Aerial (No image found)



Down Stream



Field Sheet

Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 04, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	1.5%	0.7%	2.5%	77.0%	18.2%
CABIN Assessment of NEBUR01 on Sep 23, 2013	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Pina Viola, Consultant
Date Taxonomy Completed	January 07, 2014
	Marchant Box
Sub-Sample Proportion	44/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count	
Arthropoda	Arachnida	Trombidiformes	Lebertiidae	1	2.3	
			Sperchontidae	1	2.3	
	Insecta	Coleoptera	Diptera	Elmidae	1	2.3
				Chironomidae	36	81.8
		Ephemeroptera	Plecoptera	Psychodidae	4	9.1
				Tipulidae	4	9.1
				Ameletidae	2	4.5
				Baetidae	60	136.4
				Ephemerellidae	15	34.1
				Heptageniidae	51	115.9
				Chloroperlidae	13	29.6
				Leuctridae	2	4.5
				Nemouridae	1	2.3
Perlidae	1	2.3				
Perlodidae	5	11.3				

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Taeniopterygidae	106	240.9
		Trichoptera	Rhyacophilidae	1	2.3
			Total	304	691.0

Metrics

Name	NEBUR01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.32	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.2	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	2.0	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	--	2.2 \pm 1.8
% Gatherers	59.9	38.4 \pm 12.4
% Predatores	19.1	19.0 \pm 8.5
% Scrapers	76.0	63.2 \pm 19.7
% Shredder	37.5	27.6 \pm 15.2
No. Clinger Taxa	21.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	11.8	7.4 \pm 6.4
% Coleoptera	0.3	1.5 \pm 3.9
% Diptera + Non-insects	15.1	10.8 \pm 7.6
% Ephemeroptera	42.1	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	46.9	40.6 \pm 30.0
% EPT Individuals	84.5	87.7 \pm 7.4
% Odonata	--	0.0 \pm 0.0
% of 2 dominant taxa	54.6	57.9 \pm 14.2
% of 5 dominant taxa	88.2	81.6 \pm 7.9
% of dominant taxa	34.9	39.8 \pm 14.9
% Plecoptera	42.1	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 \pm 26.2
% Tricoptera	0.3	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.9	0.9 \pm 0.1
Total Abundance	690.8	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	1.0	0.4 \pm 0.5
Diptera taxa	3.0	3.3 \pm 1.0
Ephemeroptera taxa	4.0	3.8 \pm 0.8
EPT Individuals (Sum)	584.0	526.0 \pm 285.8
EPT taxa (no)	11.0	13.3 \pm 2.7
Odonata taxa	--	0.0 \pm 0.0
Pielou's Evenness	0.7	0.7 \pm 0.1
Plecoptera taxa	6.0	6.3 \pm 1.1
Shannon-Wiener Diversity	1.9	1.9 \pm 0.4
Simpson's Diversity	0.8	0.8 \pm 0.1
Simpson's Evenness	0.3	0.3 \pm 0.1
Total No. of Taxa	17.0	19.3 \pm 3.7
Trichoptera taxa	1.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.86
Chironomidae	100%	100%	100%	100%	95%	0.99
Chloroperlidae	78%	88%	94%	100%	100%	0.99
Ephemerellidae	78%	100%	100%	100%	100%	1.00

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.89
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.79
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.93

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.74
RIVPACS : Observed taxa P>0.50	13.00
RIVPACS : O:E (p > 0.5)	0.95
RIVPACS : Expected taxa P>0.70	11.32
RIVPACS : Observed taxa P>0.70	10.00
RIVPACS : O:E (p > 0.7)	0.88

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	88.94617	11.07346 \pm 28.63466
Metamorphic (%)	10.03602	17.96649 \pm 35.53463
Sedimentary (%)	1.01781	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.00000	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	35.8	23.6 \pm 11.1
Depth-BankfullMinusWetted (cm)	110.00	51.38 \pm 29.42
Depth-Max (cm)	45.0	34.6 \pm 12.3
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 \pm 0.78
Reach-DomStreamsideVeg (Category (1-4))	2	4 \pm 1
Reach-Pools (Binary)	0	1 \pm 0
Reach-Rapids (Binary)	1	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	0	1 \pm 1
Slope (m/m)	0.0157000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	0	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	1.01	0.48 \pm 0.22
Velocity-Max (m/s)	1.25	0.76 \pm 0.36
Width-Bankfull (m)	77.0	13.4 \pm 9.9
Width-Wetted (m)	22.0	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	1	1 \pm 0
Climate		
Precip01_JAN (mm)	136.50000	104.85000 \pm 26.28129
Precip02_FEB (mm)	113.50000	83.66667 \pm 27.10278
Precip03_MAR (mm)	104.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	136.50000	104.85000 \pm 26.28129
Precip05_MAY (mm)	85.50000	71.65833 \pm 17.81753
Precip06_JUN (mm)	96.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	75.50000	64.39167 \pm 10.41611
Precip08_AUG (mm)	72.50000	60.53056 \pm 10.43373
Precip09_SEP (mm)	69.00000	56.91944 \pm 10.91783
Precip10_OCT (mm)	82.50000	65.08056 \pm 14.41229
Precip11_NOV (mm)	128.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	150.50000	116.84444 \pm 29.80954

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
PrecipTotal_ANNUAL (mm)	1195.50000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-5.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-11.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.50000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-9.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	1.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	5.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-3.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	10.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.50000	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	13.00000	15.72500 \pm 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	17.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.50000	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	17.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.50000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	12.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.50000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.50000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.50000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.50000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-10.50000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	5.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	1.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-2.50000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	156.03797	124.42081 \pm 200.99192
Perimeter (Km)	96.29101	64.71360 \pm 56.15436
StreamDensity (m/km ²)	3088.41775	2246.06682 \pm 604.89962
StreamLength (m)	481910.43	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	2.15359	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	0.52673	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	55.67391	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	1.69933	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	18.72158	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	5.14233	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.22226	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.64975	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.29041	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	0.02825	0.08491 \pm 0.15475
Natl-Water (%)	0.31107	0.22916 \pm 0.36834
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.02206	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	2	9 \pm 9
%Cobble (%)	72	51 \pm 15
%Gravel (%)	1	3 \pm 3
%Pebble (%)	25	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	9.60	15.12 \pm 14.26
Dg (cm)	9.1	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	5	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	2	1 \pm 0
SurroundingMaterial (Category(0-9))	6	4 \pm 1
Topography		
ElevationMax (m)	2735.00000	2634.66667 \pm 309.54023
ElevationMin (m)	457.00000	913.41667 \pm 271.25180
ElevationStdev (m)	449.76775	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	0.01570	18.88386 \pm 9.29866
Slope30-50% (%)	28.38185	29.00215 \pm 6.33837
Slope50-60% (%)	14.69809	13.91808 \pm 1.91315
SlopeAvg (%)	52.80717	52.79851 \pm 8.68755
SlopeGT60% (%)	36.42654	35.47207 \pm 13.39684
SlopeLT30% (%)	20.49352	21.60770 \pm 8.54172
SlopeMax (%)	261.08899	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	26.65419	26.57529 \pm 4.62351
Water Chemistry		
General-Alkalinity (mg/L)	34.5000000	71.7000000 \pm 53.9231440
General-DO (mg/L)	11.0000000	11.4175000 \pm 0.7986708
General-pH (pH)	7.0	7.9 \pm 0.4
General-SpCond (μ S/cm)	88.3000000	168.9833333 \pm 123.7858182
General-TempAir (Degrees Celsius)	14.0	26.0
General-TempWater (Degrees Celsius)	11.2000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	0.7500000	0.2020000

Site Description

Study Name	CBWQ-Arrow
Site	NEBUR01
Sampling Date	Sep 21 2014
Know Your Watershed Basin	Central Columbia
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.96736 N, 117.88257 W
Altitude	1537
Local Basin Name	Burton Cr.
	Columbia River
Stream Order	5



Figure 1. Location Map

Across Reach
Aerial (No image found)



Down Stream



Field Sheet

Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 04, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	0.1%	5.7%	6.2%	70.2%	17.8%
CABIN Assessment of NEBUR01 on Sep 21, 2014	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	-
Date Taxonomy Completed	-
	-
Sub-Sample Proportion	18/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count		
Arthropoda	Arachnida	Trombidiformes	Lebertiidae	2	11.1		
			Sperchontidae	1	5.6		
	Insecta	Diptera	Chironomidae	Chironomidae	17	94.4	
				Empididae	2	11.1	
				Tipulidae	4	22.3	
				Ephemeroptera	Ameletidae	4	22.2
					Baetidae	52	288.9
				Ephemerellidae	61	338.9	
			Heptageniidae	130	722.2		
			Plecoptera	Leptophlebiidae	3	16.7	
				Chloroperlidae	3	16.7	
				Leuctridae	1	5.6	
				Nemouridae	3	16.7	
				Perlidae	1	5.6	
Perlodidae	10	55.6					

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Taeniopterygidae	17	94.4
		Trichoptera		1	5.6
			Glossosomatidae	2	11.1
			Hydropsychidae	6	33.3
			Rhyacophilidae	2	11.1
			Total	322	1,789.1

Metrics

Name	NEBUR01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.62	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.2	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	1.0	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	1.9	2.2 \pm 1.8
% Gatherers	34.8	38.4 \pm 12.4
% Predatores	13.7	19.0 \pm 8.5
% Scrapers	63.4	63.2 \pm 19.7
% Shredder	7.8	27.6 \pm 15.2
No. Clinger Taxa	24.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	5.3	7.4 \pm 6.4
% Coleoptera	0.0	1.5 \pm 3.9
% Diptera + Non-insects	8.1	10.8 \pm 7.6
% Ephemeroptera	77.9	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	20.8	40.6 \pm 30.0
% EPT Individuals	91.9	87.7 \pm 7.4
% Odonata	--	0.0 \pm 0.0
% of 2 dominant taxa	59.5	57.9 \pm 14.2
% of 5 dominant taxa	86.3	81.6 \pm 7.9
% of dominant taxa	40.5	39.8 \pm 14.9
% Plecoptera	10.9	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	60.0	27.0 \pm 26.2
% Tricoptera	3.1	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.9	0.9 \pm 0.1
Total Abundance	1788.9	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	0.0	0.4 \pm 0.5
Diptera taxa	3.0	3.3 \pm 1.0
Ephemeroptera taxa	5.0	3.8 \pm 0.8
EPT Individuals (Sum)	1638.9	526.0 \pm 285.8
EPT taxa (no)	14.0	13.3 \pm 2.7
Odonata taxa	--	0.0 \pm 0.0
Pielou's Evenness	0.6	0.7 \pm 0.1
Plecoptera taxa	6.0	6.3 \pm 1.1
Shannon-Wiener Diversity	1.9	1.9 \pm 0.4
Simpson's Diversity	0.8	0.8 \pm 0.1
Simpson's Evenness	0.2	0.3 \pm 0.1
Total No. of Taxa	19.0	19.3 \pm 3.7
Trichoptera taxa	3.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.83

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NEBUR01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Chironomidae	100%	100%	100%	100%	95%	0.99
Chloroperlidae	78%	88%	94%	100%	100%	0.99
EphemereIIDae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.78
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.91

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.62
RIVPACS : Observed taxa P>0.50	15.00
RIVPACS : O:E (p > 0.5)	1.10
RIVPACS : Expected taxa P>0.70	11.26
RIVPACS : Observed taxa P>0.70	11.00
RIVPACS : O:E (p > 0.7)	0.98

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	88.94617	11.07346 \pm 28.63466
Metamorphic (%)	10.03602	17.96649 \pm 35.53463
Sedimentary (%)	1.01781	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.00000	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	18.5	23.6 \pm 11.1
Depth-Max (cm)	28.0	34.6 \pm 12.3
Macrophyte (PercentRange)	0	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 \pm 0.78
Reach-Pools (Binary)	0	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	1	1 \pm 1
Slope (m/m)	0.0157000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	1	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.42	0.48 \pm 0.22
Velocity-Max (m/s)	0.70	0.76 \pm 0.36
Width-Bankfull (m)	16.0	13.4 \pm 9.9
Width-Wetted (m)	12.0	8.5 \pm 5.8
Climate		
Precip01_JAN (mm)	136.50000	104.85000 \pm 26.28129
Precip02_FEB (mm)	113.50000	83.66667 \pm 27.10278
Precip03_MAR (mm)	104.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	136.50000	104.85000 \pm 26.28129
Precip05_MAY (mm)	85.50000	71.65833 \pm 17.81753
Precip06_JUN (mm)	96.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	75.50000	64.39167 \pm 10.41611
Precip08_AUG (mm)	72.50000	60.53056 \pm 10.43373
Precip09_SEP (mm)	69.00000	56.91944 \pm 10.91783
Precip10_OCT (mm)	82.50000	65.08056 \pm 14.41229
Precip11_NOV (mm)	128.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	150.50000	116.84444 \pm 29.80954

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
PrecipTotal_ANNUAL (mm)	1195.50000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-5.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-11.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-2.50000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-9.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	1.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	5.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-3.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	10.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.50000	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	13.00000	15.72500 \pm 3.40030
Temp06_JUNMin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	17.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.50000	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	17.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.50000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	12.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.50000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.50000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.50000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.50000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-7.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-10.50000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	5.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	1.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-2.50000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	156.03797	124.42081 \pm 200.99192
Perimeter (Km)	96.29101	64.71360 \pm 56.15436
StreamDensity (m/km ²)	3088.41775	2246.06682 \pm 604.89962
StreamLength (m)	481910.43	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	2.15359	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	0.52673	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	55.67391	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	1.69933	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	18.72158	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	5.14233	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.22226	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.64975	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.29041	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	0.02825	0.08491 \pm 0.15475
Natl-Water (%)	0.31107	0.22916 \pm 0.36834
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.02206	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000

Habitat Description

Variable	NEBUR01	Predicted Group Reference Mean \pm SD
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	0	9 \pm 9
%Cobble (%)	82	51 \pm 15
%Gravel (%)	0	3 \pm 3
%Pebble (%)	18	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	8.00	15.12 \pm 14.26
Dg (cm)	8.5	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	5	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	2	1 \pm 0
SurroundingMaterial (Category(0-9))	6	4 \pm 1
Topography		
ElevationMax (m)	2735.00000	2634.66667 \pm 309.54023
ElevationMin (m)	457.00000	913.41667 \pm 271.25180
ElevationStdev (m)	449.76775	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	15.00000	18.88386 \pm 9.29866
Slope30-50% (%)	28.38185	29.00215 \pm 6.33837
Slope50-60% (%)	14.69809	13.91808 \pm 1.91315
SlopeAvg (%)	52.80717	52.79851 \pm 8.68755
SlopeGT60% (%)	36.42654	35.47207 \pm 13.39684
SlopeLT30% (%)	20.49352	21.60770 \pm 8.54172
SlopeMax (%)	261.08899	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	26.65419	26.57529 \pm 4.62351
Water Chemistry		
General-Alkalinity (mg/L)	42.2000000	71.7000000 \pm 53.9231440
General-DO (mg/L)	10.0000000	11.4175000 \pm 0.7986708
General-pH (pH)	6.9	7.9 \pm 0.4
General-SpCond (μ S/cm)	98.4000000	168.9833333 \pm 123.7858182
General-TempAir (Degrees Celsius)	15.0	26.0
General-TempWater (Degrees Celsius)	10.6000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	0.9700000	0.2020000