

Site Description

Study Name	CBWQ-Slocan
Site	NJMIL01
Sampling Date	Sep 29 2008
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.60522 N, 117.04978 W
Altitude	1763
Local Basin Name	Mill Creek
	Columbia Basin
Stream Order	4



Figure 1. Location Map

- Across Reach (No image found)
- Aerial (No image found)
- Down Stream (No image found)
- Field Sheet (No image found)
- Miscellaneous (No image found)
- Substrate (No image found)
- Up Stream (No image found)

Cabin Assessment Results

		Reference Model Summary				
Model	Columbia-Okanagan Preliminary March 2010					
Analysis Date	September 15, 2017					
Taxonomic Level	Family					
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%					
Reference Groups	1	2	3	4	5	
Number of Reference Sites	9	43	17	12	33	
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%	
Overall Model Error Rate	26.4%					
Probability of Group Membership	0.0%	6.1%	16.6%	69.5%	7.7%	
CABIN Assessment of NJMIL01 on Sep 29, 2008	Similar to Reference					




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Dave Langill, EcoAnalysts, Inc.
Date Taxonomy Completed	November 11, 2008
	Marchant Box
Sub-Sample Proportion	100/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Annelida	Oligochaeta	Enchytraeida	Enchytraeidae	1	1.0
Arthropoda	Arachnida	Trombidiformes	Lebertiidae	1	1.0
			Sperchontidae	1	1.0
	Insecta	Coleoptera	Elmidae	9	9.0
			Diptera	Chironomidae	7
				Psychodidae	3
			Tipulidae	4	4.0
		Ephemeroptera	Ameletidae	1	1.0
			Baetidae	209	209.0
			Ephemeridae	14	14.0
			Heptageniidae	67	67.0
			Leptophlebiidae	1	1.0
		Plecoptera	Chloroperlidae	1	1.0
			Nemouridae	2	2.0
			Perlodidae	3	3.0

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Taeniopterygidae	29	29.0
		Trichoptera	Brachycentridae	2	2.0
			Glossosomatidae	1	1.0
			Hydropsychidae	1	1.0
			Limnephilidae	1	1.0
			Philopotamidae	1	1.0
			Rhyacophilidae	5	5.0
			Uenoidae	8	8.0
			Total	372	372.0

Metrics

Name	NJMIL01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.44	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.7	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	1.0	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	1.1	2.2 \pm 1.8
% Gatherers	18.3	38.4 \pm 12.4
% Predatores	8.9	19.0 \pm 8.5
% Scrapers	87.4	63.2 \pm 19.7
% Shredder	12.6	27.6 \pm 15.2
No. Clinger Taxa	15.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	1.9	7.4 \pm 6.4
% Coleoptera	2.4	1.5 \pm 3.9
% Diptera + Non-insects	4.6	10.8 \pm 7.6
% Ephemeroptera	78.5	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	71.6	40.6 \pm 30.0
% EPT Individuals	93.0	87.7 \pm 7.4
% Odonata	0.0	0.0 \pm 0.0
% of 2 dominant taxa	74.2	57.9 \pm 14.2
% of 5 dominant taxa	88.2	81.6 \pm 7.9
% of dominant taxa	56.2	39.8 \pm 14.9
% Plecoptera	9.4	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	5.3	27.0 \pm 26.2
% Tricoptera	5.1	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	1.0	0.9 \pm 0.1
Total Abundance	372.0	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	1.0	0.4 \pm 0.5
Diptera taxa	3.0	3.3 \pm 1.0
Ephemeroptera taxa	5.0	3.8 \pm 0.8
EPT Individuals (Sum)	346.0	526.0 \pm 285.8
EPT taxa (no)	16.0	13.3 \pm 2.7
Odonata taxa	0.0	0.0 \pm 0.0
Pielou's Evenness	0.5	0.7 \pm 0.1
Plecoptera taxa	4.0	6.3 \pm 1.1
Shannon-Wiener Diversity	1.6	1.9 \pm 0.4
Simpson's Diversity	0.6	0.8 \pm 0.1
Simpson's Evenness	0.1	0.3 \pm 0.1
Total No. of Taxa	23.0	19.3 \pm 3.7
Trichoptera taxa	7.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NJMIL01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.81
Chironomidae	100%	100%	100%	100%	95%	1.00
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.89
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.80
Perlodidae	78%	78%	89%	92%	81%	0.90
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.91

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.61
RIVPACS : Observed taxa P>0.50	11.00
RIVPACS : O:E (p > 0.5)	0.81
RIVPACS : Expected taxa P>0.70	11.27
RIVPACS : Observed taxa P>0.70	9.00
RIVPACS : O:E (p > 0.7)	0.80

Habitat Description

Variable	NJMIL01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	98.73937	11.07346 \pm 28.63466
Metamorphic (%)	0.00000	17.96649 \pm 35.53463
Sedimentary (%)	0.97414	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.28649	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	13.7	23.6 \pm 11.1
Depth-Max (cm)	22.9	34.6 \pm 12.3
Macrophyte (PercentRange)	1	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	2.00	1.33 \pm 0.78
Reach-%Logging (PercentRange)	1	0 \pm 0
Reach-Pools (Binary)	0	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	0	1 \pm 1
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	1	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.41	0.48 \pm 0.22
Velocity-Max (m/s)	0.68	0.76 \pm 0.36
Width-Bankfull (m)	9.2	13.4 \pm 9.9
Width-Wetted (m)	5.3	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	2	1 \pm 0
Climate		
Precip01_JAN (mm)	144.00000	104.85000 \pm 26.28129
Precip02_FEB (mm)	124.00000	83.66667 \pm 27.10278
Precip03_MAR (mm)	117.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	144.00000	104.85000 \pm 26.28129
Precip05_MAY (mm)	95.00000	71.65833 \pm 17.81753
Precip06_JUN (mm)	99.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	77.00000	64.39167 \pm 10.41611
Precip08_AUG (mm)	72.00000	60.53056 \pm 10.43373
Precip09_SEP (mm)	72.00000	56.91944 \pm 10.91783

Habitat Description

Variable	NJMIL01	Predicted Group Reference Mean \pm SD
Precip10_OCT (mm)	86.00000	65.08056 \pm 14.41229
Precip11_NOV (mm)	145.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	162.00000	116.84444 \pm 29.80954
PrecipTotal_ANNUAL (mm)	1286.00000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-6.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-12.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-3.00000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-10.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	0.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	4.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-4.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	9.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.00000	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	12.00000	15.72500 \pm 3.40030
Temp06_JUNmin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	16.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.00000	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	16.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.00000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	11.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.00000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.00000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-2.00000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-3.00000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-8.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-6.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-12.00000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	4.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	0.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-3.00000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	44.69259	124.42081 \pm 200.99192
Perimeter (Km)	43.67034	64.71360 \pm 56.15436
StreamDensity (m/km ²)	1894.47712	2246.06682 \pm 604.89962
StreamLength (m)	84669.09	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	0.01943	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	1.62935	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	89.21259	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	0.00000	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	2.90497	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	0.37659	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.00000	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.00000	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.76462	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	0.00000	0.08491 \pm 0.15475
Natl-Water (%)	0.10325	0.22916 \pm 0.36834

Habitat Description

Variable	NJMIL01	Predicted Group Reference Mean \pm SD
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.00000	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	17	9 \pm 9
%Cobble (%)	68	51 \pm 15
%Gravel (%)	2	3 \pm 3
%Pebble (%)	13	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	13.00	15.12 \pm 14.26
Dg (cm)	12.1	8.2 \pm 2.8
Dominant-1st (Category(0-9))	7	7 \pm 1
Dominant-2nd (Category(0-9))	6	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	3	1 \pm 0
Topography		
ElevationMax (m)	2333.00000	2634.66667 \pm 309.54023
ElevationMin (m)	542.00000	913.41667 \pm 271.25180
ElevationStdev (m)	381.27646	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	21.96000	18.88386 \pm 9.29866
Slope30-50% (%)	35.27287	29.00215 \pm 6.33837
Slope50-60% (%)	15.90593	13.91808 \pm 1.91315
SlopeAvg (%)	48.08592	52.79851 \pm 8.68755
SlopeGT60% (%)	26.70570	35.47207 \pm 13.39684
SlopeLT30% (%)	22.11550	21.60770 \pm 8.54172
SlopeMax (%)	519.11420	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	24.83758	26.57529 \pm 4.62351
Water Chemistry		
Ca (mg/L)	19.3000000	21.1083333 \pm 16.8005659
General-Hardness (mg/L)	54.7000000	84.2750000 \pm 70.6251066
General-pH (pH)	7.5	7.9 \pm 0.4
General-TempWater (Degrees Celsius)	8.0000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	0.1500000	0.2020000
Mg (mg/L)	1.5700000	7.6666667 \pm 7.9748848
Nitrogen-TN (mg/L)	0.0200000	0.0883333 \pm 0.0521943
Phosphorus-TP (mg/L)	0.0025000	0.0045833 \pm 0.0049992

Site Description

Study Name	CBWQ-Slocan
Site	NJMIL01
Sampling Date	Sep 18 2012
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	49.60100 N, 117.05000 W
Altitude	1857
Local Basin Name	Mill Creek
	Columbia Basin
Stream Order	4



Figure 1. Location Map



Across Reach
Aerial (No image found)



Down Stream
Field Sheet (No image found)



Miscellaneous



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	September 15, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	0.1%	5.2%	16.0%	71.5%	7.1%
CABIN Assessment of NJMIL01 on Sep 18, 2012	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Eco Analysts, EcoAnalysts
Date Taxonomy Completed	February 11, 2012
	Marchant Box
Sub-Sample Proportion	100/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count		
Arthropoda	Arachnida	Trombidiformes	Hydryphantidae	1	1.0		
			Lebertiidae	1	1.0		
			Sperchontidae	2	2.0		
			Torrenticolidae	1	1.0		
	Insecta	Coleoptera		Elmidae	22	22.0	
				Diptera			
				Chironomidae	32	32.0	
				Empididae	1	1.0	
				Psychodidae	1	1.0	
		Ephemeroptera		Baetidae	110	110.0	
				Ephemerellidae	26	26.0	
				Heptageniidae	79	79.0	
				Plecoptera	Capniidae	6	6.0
					Chloroperlidae	1	1.0
		Nemouridae	40	40.0			
		Peltoperlidae	2	2.0			

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Perlodidae	5	5.0
			Taeniopterygidae	145	145.0
		Trichoptera	Brachycentridae	4	4.0
			Lepidostomatidae	7	7.0
			Philopotamidae	1	1.0
			Rhyacophilidae	26	26.0
			Uenoidae	1	1.0
			Total	514	514.0

Metrics

Name	NJMIL01	Predicted Group Reference Mean \pm SD
Bray-Curtis Distance	0.22	0.4 \pm 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.0	3.2 \pm 0.3
Intolerant taxa	--	
Long-lived taxa	1.0	2.1 \pm 1.0
Tolerant individuals (%)	--	0.8 \pm 0.3
Functional Measures		
% Filterers	1.0	2.2 \pm 1.8
% Gatherers	52.9	38.4 \pm 12.4
% Predators	13.6	19.0 \pm 8.5
% Scrapers	69.6	63.2 \pm 19.7
% Shredder	44.0	27.6 \pm 15.2
No. Clinger Taxa	15.0	23.2 \pm 6.3
Number Of Individuals		
% Chironomidae	6.2	7.4 \pm 6.4
% Coleoptera	4.3	1.5 \pm 3.9
% Diptera + Non-insects	7.6	10.8 \pm 7.6
% Ephemeroptera	41.8	51.7 \pm 18.8
% Ephemeroptera that are Baetidae	51.2	40.6 \pm 30.0
% EPT Individuals	88.1	87.7 \pm 7.4
% Odonata	0.0	0.0 \pm 0.0
% of 2 dominant taxa	49.6	57.9 \pm 14.2
% of 5 dominant taxa	79.0	81.6 \pm 7.9
% of dominant taxa	28.2	39.8 \pm 14.9
% Plecoptera	38.7	31.4 \pm 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 \pm 26.2
% Tricoptera	7.6	4.5 \pm 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.9	0.9 \pm 0.1
Total Abundance	514.0	587.4 \pm 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 \pm 0.0
Coleoptera taxa	1.0	0.4 \pm 0.5
Diptera taxa	3.0	3.3 \pm 1.0
Ephemeroptera taxa	3.0	3.8 \pm 0.8
EPT Individuals (Sum)	453.0	526.0 \pm 285.8
EPT taxa (no)	14.0	13.3 \pm 2.7
Odonata taxa	0.0	0.0 \pm 0.0
Pielou's Evenness	0.7	0.7 \pm 0.1
Plecoptera taxa	6.0	6.3 \pm 1.1
Shannon-Wiener Diversity	2.1	1.9 \pm 0.4
Simpson's Diversity	0.8	0.8 \pm 0.1
Simpson's Evenness	0.3	0.3 \pm 0.1
Total No. of Taxa	22.0	19.3 \pm 3.7
Trichoptera taxa	5.0	3.2 \pm 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NJMIL01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.81
Chironomidae	100%	100%	100%	100%	95%	1.00
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.89
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.81
Perlodidae	78%	78%	89%	92%	81%	0.90
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.91

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.65
RIVPACS : Observed taxa P>0.50	12.00
RIVPACS : O:E (p > 0.5)	0.88
RIVPACS : Expected taxa P>0.70	11.30
RIVPACS : Observed taxa P>0.70	10.00
RIVPACS : O:E (p > 0.7)	0.89

Habitat Description

Variable	NJMIL01	Predicted Group Reference Mean \pm SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 \pm 0.00000
Intrusive (%)	98.73937	11.07346 \pm 28.63466
Metamorphic (%)	0.00000	17.96649 \pm 35.53463
Sedimentary (%)	0.97414	70.96005 \pm 44.90394
Ultramafic (%)	0.00000	0.00000 \pm 0.00000
Volcanic (%)	0.28649	0.00000 \pm 0.00000
Channel		
Depth-Avg (cm)	22.0	23.6 \pm 11.1
Depth-Max (cm)	34.0	34.6 \pm 12.3
Macrophyte (PercentRange)	1	0 \pm 0
Reach-%CanopyCoverage (PercentRange)	4.00	1.33 \pm 0.78
Reach-Pools (Binary)	0	1 \pm 0
Reach-Rapids (Binary)	0	0 \pm 0
Reach-Riffles (Binary)	1	1 \pm 0
Reach-StraightRun (Binary)	0	1 \pm 1
Slope (m/m)	0.3470000	0.0546683 \pm 0.0376269
Veg-Coniferous (Binary)	1	1 \pm 0
Veg-Deciduous (Binary)	1	1 \pm 0
Veg-GrassesFerns (Binary)	1	1 \pm 0
Veg-Shrubs (Binary)	1	1 \pm 0
Velocity-Avg (m/s)	0.41	0.48 \pm 0.22
Velocity-Max (m/s)	0.60	0.76 \pm 0.36
Width-Bankfull (m)	12.2	13.4 \pm 9.9
Width-Wetted (m)	5.1	8.5 \pm 5.8
XSEC-VelMethod (Category (1-3))	2	1 \pm 0
Climate		
Precip01_JAN (mm)	144.00000	104.85000 \pm 26.28129
Precip02_FEB (mm)	124.00000	83.66667 \pm 27.10278
Precip03_MAR (mm)	117.00000	77.23611 \pm 27.15950
Precip04_APR (mm)	144.00000	104.85000 \pm 26.28129
Precip05_MAY (mm)	95.00000	71.65833 \pm 17.81753
Precip06_JUN (mm)	99.00000	78.56667 \pm 15.58521
Precip07_JUL (mm)	77.00000	64.39167 \pm 10.41611
Precip08_AUG (mm)	72.00000	60.53056 \pm 10.43373
Precip09_SEP (mm)	72.00000	56.91944 \pm 10.91783

Habitat Description

Variable	NJMIL01	Predicted Group Reference Mean \pm SD
Precip10_OCT (mm)	86.00000	65.08056 \pm 14.41229
Precip11_NOV (mm)	145.00000	105.93889 \pm 25.04104
Precip12_DEC (mm)	162.00000	116.84444 \pm 29.80954
PrecipTotal_ANNUAL (mm)	1286.00000	952.64722 \pm 226.04690
Temp01_JANMax (Degrees Celsius)	-6.00000	-4.39167 \pm 2.51268
Temp01_JANmin (Degrees Celsius)	-12.00000	-11.40833 \pm 3.53951
Temp02_FEBmax (Degrees Celsius)	-3.00000	-1.70000 \pm 2.12945
Temp02_FEBmin (Degrees Celsius)	-10.00000	-9.17500 \pm 3.33361
Temp03_MARmax (Degrees Celsius)	0.00000	2.50556 \pm 2.87525
Temp03_MARmin (Degrees Celsius)	-7.00000	-6.14167 \pm 2.98556
Temp04_APRmax (Degrees Celsius)	4.00000	7.12222 \pm 3.48771
Temp04_APRmin (Degrees Celsius)	-4.00000	-2.71667 \pm 2.22785
Temp05_MAYmax (Degrees Celsius)	9.00000	12.03889 \pm 3.55434
Temp05_MAYmin (Degrees Celsius)	0.00000	1.04722 \pm 2.08663
Temp06_JUNMax (Degrees Celsius)	12.00000	15.72500 \pm 3.40030
Temp06_JUNmin (Degrees Celsius)	3.00000	4.00278 \pm 2.41085
Temp07_JULmax (Degrees Celsius)	16.00000	19.56111 \pm 3.47275
Temp07_JULmin (Degrees Celsius)	5.00000	6.35833 \pm 2.28332
Temp08_AUGmax (Degrees Celsius)	16.00000	19.52222 \pm 3.51100
Temp08_AUGmin (Degrees Celsius)	5.00000	6.19167 \pm 2.34422
Temp09_SEPmax (Degrees Celsius)	11.00000	14.04444 \pm 3.03456
Temp09_SEPmin (Degrees Celsius)	1.00000	2.04722 \pm 2.37208
Temp10_OCTmax (Degrees Celsius)	4.00000	6.88889 \pm 2.71577
Temp10_OCTmin (Degrees Celsius)	-2.00000	-1.46111 \pm 1.64316
Temp11_NOVmax (Degrees Celsius)	-3.00000	-0.79722 \pm 2.43512
Temp11_NOVmin (Degrees Celsius)	-8.00000	-6.68056 \pm 2.97163
Temp12_DECmax (Degrees Celsius)	-6.00000	-4.66389 \pm 2.69757
Temp12_DECmin (Degrees Celsius)	-12.00000	-10.65833 \pm 3.71739
TempANNUALmax (Degrees Celsius)	4.00000	6.96389 \pm 3.06157
TempANNUALmean (Degrees Celsius)	0.00000	2.25278 \pm 2.66574
TempANNUALmin (Degrees Celsius)	-3.00000	-2.18056 \pm 2.41152
Hydrology		
Drainage-Area (km ²)	44.69259	124.42081 \pm 200.99192
Perimeter (Km)	43.67034	64.71360 \pm 56.15436
StreamDensity (m/km ²)	1894.47712	2246.06682 \pm 604.89962
StreamLength (m)	84669.09	302226.63 \pm 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 \pm 0.00000
Natl-Barren (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 \pm 0.00000
Natl-BroadleafOpen (%)	0.01943	1.19263 \pm 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-Coniferous (%)	0.00000	0.00000 \pm 0.00000
Natl-ConiferousDense (%)	1.62935	0.64845 \pm 0.37668
Natl-ConiferousOpen (%)	89.21259	54.62780 \pm 18.30692
Natl-ConiferousSparse (%)	0.00000	0.94121 \pm 1.53621
Natl-Deciduous (%)	0.00000	0.00000 \pm 0.00000
Natl-Developed (%)	0.00000	0.00000 \pm 0.00000
Natl-ExposedLand (%)	2.90497	13.20054 \pm 11.11850
Natl-Grassland (%)	0.00000	1.87556 \pm 1.68508
Natl-Herb (%)	0.37659	5.75738 \pm 2.89836
Natl-MixedForest (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 \pm 0.00000
Natl-MixedwoodOpen (%)	0.00000	0.04060 \pm 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 \pm 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 \pm 0.00000
Natl-Rock/Rubble (%)	0.00000	1.56403 \pm 2.75979
Natl-Shrubland (%)	0.00000	0.00000 \pm 0.00000
Natl-ShrubLow (%)	0.76462	4.98298 \pm 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 \pm 0.00000
Natl-SnowIce (%)	0.00000	0.08491 \pm 0.15475
Natl-Water (%)	0.10325	0.22916 \pm 0.36834

Habitat Description

Variable	NJMIL01	Predicted Group Reference Mean \pm SD
Natl-Wetland (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandHerb (%)	0.00000	0.12918 \pm 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 \pm 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 \pm 0.00000
Reg-Ice (%)	0.00000	0.02487 \pm 0.06034
Substrate Data		
%Bedrock (%)	0	0 \pm 0
%Boulder (%)	4	9 \pm 9
%Cobble (%)	59	51 \pm 15
%Gravel (%)	5	3 \pm 3
%Pebble (%)	32	37 \pm 20
%Sand (%)	0	0 \pm 0
%Silt+Clay (%)	0	0 \pm 0
D50 (cm)	8.00	15.12 \pm 14.26
Dg (cm)	7.6	8.2 \pm 2.8
Dominant-1st (Category(0-9))	6	7 \pm 1
Dominant-2nd (Category(0-9))	7	7 \pm 1
Embeddedness (Category(1-5))	4	5 \pm 1
PeriphytonCoverage (Category(1-5))	2	1 \pm 0
Topography		
ElevationMax (m)	2333.00000	2634.66667 \pm 309.54023
ElevationMin (m)	542.00000	913.41667 \pm 271.25180
ElevationStdev (m)	381.27646	349.02363 \pm 92.12445
Reg-SlopeLT30% (%)	21.96000	18.88386 \pm 9.29866
Slope30-50% (%)	35.27287	29.00215 \pm 6.33837
Slope50-60% (%)	15.90593	13.91808 \pm 1.91315
SlopeAvg (%)	48.08592	52.79851 \pm 8.68755
SlopeGT60% (%)	26.70570	35.47207 \pm 13.39684
SlopeLT30% (%)	22.11550	21.60770 \pm 8.54172
SlopeMax (%)	519.11420	298.94390 \pm 146.30679
SlopeMin (%)	0.00000	0.19777 \pm 0.29213
SlopeStdev (%)	24.83758	26.57529 \pm 4.62351
Water Chemistry		
General-Conductivity (μ S/cm)	96.0000000	121.8083333 \pm 87.6800844
General-pH (pH)	6.2	7.9 \pm 0.4
General-SpCond (μ S/cm)	112.1000000	168.9833333 \pm 123.7858182
General-TempAir (Degrees Celsius)	26.0	26.0
General-TempWater (Degrees Celsius)	10.0000000	7.3183333 \pm 2.7240839
General-Turbidity (NTU)	0.2000000	0.2020000