

Site Description

Study Name	CBWQ-Lardeau
Site	NHPOP01
Sampling Date	Sep 18 2009
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	50.41528 N, 117.12222 W
Altitude	2201
Local Basin Name	Poplar Cr
	Lardeau
Stream Order	5



Figure 1. Location Map

Across Reach (No image found)
 Aerial (No image found)
 Down Stream (No image found)
 Field Sheet (No image found)
 Miscellaneous (No image found)
 Substrate (No image found)
 Up Stream (No image found)

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 29, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	14.3%	0.3%	8.4%	44.4%	32.6%
CABIN Assessment of NHPOP01 on Sep 18, 2009	Highly Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Eco Analysts, EcoAnalysts
Date Taxonomy Completed	February 26, 2010
	Marchant Box
Sub-Sample Proportion	12/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Annelida	Oligochaeta	Tubificida	Naididae	18	150.0
Arthropoda	Arachnida	Trombidiformes	Hygrobatidae	1	8.3
	Insecta	Diptera	Chironomidae	298	2,483.3
			Empididae	1	8.3
		Ephemeroptera	Baetidae	6	50.0
		Plecoptera	Perlodidae	2	16.7
			Taeniopterygidae	1	8.3
		Trichoptera		1	8.3
			Brachycentridae	1	8.3
			Rhyacophilidae	1	8.3
			Total	330	2,749.8

Metrics

Name	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bray-Curtis Distance	0.94	0.4 $\pm$ 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	5.9	3.2 $\pm$ 0.3
Intolerant taxa	--	
Long-lived taxa	--	2.1 $\pm$ 1.0
Tolerant individuals (%)	--	0.8 $\pm$ 0.3
Functional Measures		
% Filterers	0.3	2.2 $\pm$ 1.8
% Gatherers	96.4	38.4 $\pm$ 12.4
% Predatores	91.8	19.0 $\pm$ 8.5
% Scrapers	2.1	63.2 $\pm$ 19.7
% Shredder	0.6	27.6 $\pm$ 15.2
No. Clinger Taxa	5.0	23.2 $\pm$ 6.3
Number Of Individuals		
% Chironomidae	90.6	7.4 $\pm$ 6.4
% Coleoptera	0.0	1.5 $\pm$ 3.9
% Diptera + Non-insects	96.7	10.8 $\pm$ 7.6
% Ephemeroptera	1.8	51.7 $\pm$ 18.8
% Ephemeroptera that are Baetidae	100.0	40.6 $\pm$ 30.0
% EPT Individuals	3.3	87.7 $\pm$ 7.4
% Odonata	0.0	0.0 $\pm$ 0.0
% of 2 dominant taxa	96.0	57.9 $\pm$ 14.2
% of 5 dominant taxa	98.8	81.6 $\pm$ 7.9
% of dominant taxa	90.6	39.8 $\pm$ 14.9
% Plecoptera	0.9	31.4 $\pm$ 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 $\pm$ 26.2
% Tricoptera	0.6	4.5 $\pm$ 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.0	0.9 $\pm$ 0.1
Total Abundance	2750.0	587.4 $\pm$ 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 $\pm$ 0.0
Coleoptera taxa	0.0	0.4 $\pm$ 0.5
Diptera taxa	2.0	3.3 $\pm$ 1.0
Ephemeroptera taxa	1.0	3.8 $\pm$ 0.8
EPT Individuals (Sum)	91.6	526.0 $\pm$ 285.8
EPT taxa (no)	5.0	13.3 $\pm$ 2.7
Odonata taxa	0.0	0.0 $\pm$ 0.0
Pielou's Evenness	0.2	0.7 $\pm$ 0.1
Plecoptera taxa	2.0	6.3 $\pm$ 1.1
Shannon-Wiener Diversity	0.4	1.9 $\pm$ 0.4
Simpson's Diversity	0.2	0.8 $\pm$ 0.1
Simpson's Evenness	0.1	0.3 $\pm$ 0.1
Total No. of Taxa	9.0	19.3 $\pm$ 3.7
Trichoptera taxa	2.0	3.2 $\pm$ 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHPOP01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	0.99
Capniidae	78%	55%	50%	92%	68%	0.78
Chironomidae	100%	100%	100%	100%	95%	0.98
Chloroperlidae	78%	88%	94%	100%	100%	0.96
Ephemerellidae	78%	100%	100%	100%	100%	0.97
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.77
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlodidae	78%	78%	89%	92%	81%	0.86
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.94

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.04
RIVPACS : Observed taxa P>0.50	6.00
RIVPACS : O:E (p > 0.5)	0.46
RIVPACS : Expected taxa P>0.70	10.24
RIVPACS : Observed taxa P>0.70	5.00
RIVPACS : O:E (p > 0.7)	0.49

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	49.06549	11.07346 $\pm$ 28.63466
Metamorphic (%)	0.00000	17.96649 $\pm$ 35.53463
Sedimentary (%)	41.12343	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	9.81108	0.00000 $\pm$ 0.00000
Channel		
Depth-Avg (cm)	43.4	23.6 $\pm$ 11.1
Depth-Max (cm)	60.0	34.6 $\pm$ 12.3
Macrophyte (PercentRange)	0	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 $\pm$ 0.78
Reach-DomStreamsideVeg (Category (1-4))	3	4 $\pm$ 1
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	0	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	0	1 $\pm$ 1
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	0	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.70	0.48 $\pm$ 0.22
Velocity-Max (m/s)	0.89	0.76 $\pm$ 0.36
Width-Bankfull (m)	21.5	13.4 $\pm$ 9.9
Width-Wetted (m)	19.1	8.5 $\pm$ 5.8
XSEC-VelMethod (Category (1-3))	1	1 $\pm$ 0
Climate		
Precip01_JAN (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	127.33333	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	111.66667	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	79.33333	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	93.66667	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	82.33333	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	79.66667	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	74.66667	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	97.33333	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	154.00000	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	169.00000	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1304.66667	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-6.33333	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-12.66667	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-3.33333	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-10.66667	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	0.33333	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-7.66667	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	3.66667	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-4.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	8.66667	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	0.00000	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	12.66667	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	2.33333	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	16.33333	19.56111 $\pm$ 3.47275

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Temp07_JULmin (Degrees Celsius)	4.66667	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	16.33333	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	4.66667	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	11.33333	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	1.00000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	4.00000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-2.66667	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-3.00000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-8.66667	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-6.66667	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-12.33333	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	4.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	0.33333	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-3.66667	-2.18056 $\pm$ 2.41152
Hydrology		
Drainage-Area (km ²)	156.45383	124.42081 $\pm$ 200.99192
Perimeter (Km)	91.30526	64.71360 $\pm$ 56.15436
StreamDensity (m/km ²)	2513.61974	2246.06682 $\pm$ 604.89962
StreamLength (m)	393265.43	302226.63 $\pm$ 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	4.06461	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.07034	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	20.30906	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	0.85769	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	34.64997	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	3.61175	1.87556 $\pm$ 1.68508
Natl-Herb (%)	11.83169	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.09616	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	2.00817	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	0.75296	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	1.72401	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.47684	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.00559	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.67300	0.02487 $\pm$ 0.06034
Substrate Data		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	12	9 $\pm$ 9
%Cobble (%)	69	51 $\pm$ 15
%Gravel (%)	3	3 $\pm$ 3
%Pebble (%)	16	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	0	0 $\pm$ 0
D50 (cm)	12.00	15.12 $\pm$ 14.26
Dg (cm)	11.5	8.2 $\pm$ 2.8
Dominant-1st (Category(0-9))	6	7 $\pm$ 1
Dominant-2nd (Category(0-9))	7	7 $\pm$ 1

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Embeddedness (Category(1-5))	4	5 $\pm$ 1
PeriphytonCoverage (Category(1-5))	1	1 $\pm$ 0
Topography		
ElevationMax (m)	2913.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	661.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	394.98469	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	9.67800	18.88386 $\pm$ 9.29866
Slope30-50% (%)	23.54995	29.00215 $\pm$ 6.33837
Slope50-60% (%)	15.94819	13.91808 $\pm$ 1.91315
SlopeAvg (%)	61.16147	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	48.94229	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	11.55957	21.60770 $\pm$ 8.54172
SlopeMax (%)	260.41873	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.00000	0.19777 $\pm$ 0.29213
SlopeStdev (%)	27.22470	26.57529 $\pm$ 4.62351
Water Chemistry		
General-DO (mg/L)	11.0000000	11.4175000 $\pm$ 0.7986708
General-TempAir (Degrees Celsius)	9.5	26.0

Site Description

Study Name	CBWQ-Lardeau
Site	NHPOP01
Sampling Date	Oct 10 2010
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	50.41528 N, 117.12222 W
Altitude	2231
Local Basin Name	Poplar Cr
	Lardeau
Stream Order	5



Figure 1. Location Map

Across Reach (No image found)
 Aerial (No image found)
 Down Stream (No image found)
 Field Sheet (No image found)
 Miscellaneous (No image found)
 Substrate (No image found)
 Up Stream (No image found)

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 29, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	2.8%	0.4%	9.8%	47.7%	39.4%
CABIN Assessment of NHPOP01 on Oct 10, 2010	Mildly Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Gary Lester, Ecoanalysts Inc.
Date Taxonomy Completed	March 09, 2011
	Marchant Box
Sub-Sample Proportion	23/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Annelida	Oligochaeta	Tubificida	Naididae	2	8.7
Arthropoda	Arachnida	Trombidiformes	Hygrobatidae	1	4.3
			Lebertiidae	2	8.7
	Insecta	Diptera	Chironomidae	67	291.3
			Empididae	4	17.4
			Simuliidae	1	4.3
		Ephemeroptera	Ameletidae	8	34.8
			Baetidae	165	717.4
			Ephemerellidae	9	39.1
			Heptageniidae	2	8.7
			Leptophlebiidae	1	4.3
		Plecoptera	Capniidae	1	4.3
			Chloroperlidae	3	13.0
			Nemouridae	17	73.9
			Perlodidae	3	13.0

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Taeniopterygidae	37	160.9
		Trichoptera	Rhyacophilidae	1	4.3
			Uenoidae	2	8.7
			Total	326	1,417.1

Metrics

Name	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bray-Curtis Distance	0.65	0.4 $\pm$ 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	4.0	3.2 $\pm$ 0.3
Intolerant taxa	--	
Long-lived taxa	--	2.1 $\pm$ 1.0
Tolerant individuals (%)	--	0.8 $\pm$ 0.3
Functional Measures		
% Filterers	0.3	2.2 $\pm$ 1.8
% Gatherers	44.8	38.4 $\pm$ 12.4
% Predatores	25.2	19.0 $\pm$ 8.5
% Scrapers	64.4	63.2 $\pm$ 19.7
% Shredder	16.9	27.6 $\pm$ 15.2
No. Clinger Taxa	12.0	23.2 $\pm$ 6.3
Number Of Individuals		
% Chironomidae	20.6	7.4 $\pm$ 6.4
% Coleoptera	0.0	1.5 $\pm$ 3.9
% Diptera + Non-insects	23.6	10.8 $\pm$ 7.6
% Ephemeroptera	56.8	51.7 $\pm$ 18.8
% Ephemeroptera that are Baetidae	89.2	40.6 $\pm$ 30.0
% EPT Individuals	76.4	87.7 $\pm$ 7.4
% Odonata	0.0	0.0 $\pm$ 0.0
% of 2 dominant taxa	71.2	57.9 $\pm$ 14.2
% of 5 dominant taxa	90.5	81.6 $\pm$ 7.9
% of dominant taxa	50.6	39.8 $\pm$ 14.9
% Plecoptera	18.7	31.4 $\pm$ 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 $\pm$ 26.2
% Tricoptera	0.9	4.5 $\pm$ 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.8	0.9 $\pm$ 0.1
Total Abundance	1417.3	587.4 $\pm$ 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 $\pm$ 0.0
Coleoptera taxa	0.0	0.4 $\pm$ 0.5
Diptera taxa	3.0	3.3 $\pm$ 1.0
Ephemeroptera taxa	5.0	3.8 $\pm$ 0.8
EPT Individuals (Sum)	1082.6	526.0 $\pm$ 285.8
EPT taxa (no)	12.0	13.3 $\pm$ 2.7
Odonata taxa	0.0	0.0 $\pm$ 0.0
Pielou's Evenness	0.6	0.7 $\pm$ 0.1
Plecoptera taxa	5.0	6.3 $\pm$ 1.1
Shannon-Wiener Diversity	1.6	1.9 $\pm$ 0.4
Simpson's Diversity	0.7	0.8 $\pm$ 0.1
Simpson's Evenness	0.2	0.3 $\pm$ 0.1
Total No. of Taxa	18.0	19.3 $\pm$ 3.7
Trichoptera taxa	2.0	3.2 $\pm$ 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHPOP01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	0.99
Capniidae	78%	55%	50%	92%	68%	0.78
Chironomidae	100%	100%	100%	100%	95%	0.98
Chloroperlidae	78%	88%	94%	100%	100%	0.99

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHPOP01
	Group 1	Group 2	Group 3	Group 4	Group 5	
EphemereIIDae	78%	100%	100%	100%	100%	0.99
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.86
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlodidae	78%	78%	89%	92%	81%	0.87
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.94

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.71
RIVPACS : Observed taxa P>0.50	12.00
RIVPACS : O:E (p > 0.5)	0.88
RIVPACS : Expected taxa P>0.70	10.38
RIVPACS : Observed taxa P>0.70	10.00
RIVPACS : O:E (p > 0.7)	0.96

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	49.06549	11.07346 $\pm$ 28.63466
Metamorphic (%)	0.00000	17.96649 $\pm$ 35.53463
Sedimentary (%)	41.12343	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	9.81108	0.00000 $\pm$ 0.00000
Channel		
Depth-Avg (cm)	33.0	23.6 $\pm$ 11.1
Depth-BankfullMinusWetted (cm)	70.00	51.38 $\pm$ 29.42
Depth-Max (cm)	50.0	34.6 $\pm$ 12.3
Macrophyte (PercentRange)	0	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 $\pm$ 0.78
Reach-DomStreamsideVeg (Category (1-4))	4	4 $\pm$ 1
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	0	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	0	1 $\pm$ 1
Slope (m/m)	0.3330000	0.0546683 $\pm$ 0.0376269
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	0	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.54	0.48 $\pm$ 0.22
Velocity-Max (m/s)	0.63	0.76 $\pm$ 0.36
Width-Bankfull (m)	34.0	13.4 $\pm$ 9.9
Width-Wetted (m)	17.5	8.5 $\pm$ 5.8
XSEC-VelMethod (Category (1-3))	1	1 $\pm$ 0
Climate		
Precip01_JAN (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	127.33333	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	111.66667	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	79.33333	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	93.66667	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	82.33333	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	79.66667	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	74.66667	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	97.33333	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	154.00000	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	169.00000	116.84444 $\pm$ 29.80954

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
PrecipTotal_ANNUAL (mm)	1304.66667	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-6.33333	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-12.66667	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-3.33333	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-10.66667	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	0.33333	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-7.66667	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	3.66667	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-4.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	8.66667	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	0.00000	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	12.66667	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	2.33333	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	16.33333	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	4.66667	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	16.33333	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	4.66667	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	11.33333	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	1.00000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	4.00000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-2.66667	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-3.00000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-8.66667	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-6.66667	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-12.33333	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	4.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	0.33333	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-3.66667	-2.18056 $\pm$ 2.41152
Hydrology		
Drainage-Area (km ²)	156.45383	124.42081 $\pm$ 200.99192
Perimeter (Km)	91.30526	64.71360 $\pm$ 56.15436
StreamDensity (m/km ²)	2513.61974	2246.06682 $\pm$ 604.89962
StreamLength (m)	393265.43	302226.63 $\pm$ 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	4.06461	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.07034	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	20.30906	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	0.85769	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	34.64997	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	3.61175	1.87556 $\pm$ 1.68508
Natl-Herb (%)	11.83169	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.09616	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	2.00817	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	0.75296	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	1.72401	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.47684	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.00559	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.67380	0.02487 $\pm$ 0.06034
Substrate Data		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	11	9 $\pm$ 9
%Cobble (%)	62	51 $\pm$ 15
%Gravel (%)	2	3 $\pm$ 3
%Pebble (%)	25	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	0	0 $\pm$ 0
D50 (cm)	11.00	15.12 $\pm$ 14.26
Dg (cm)	10.1	8.2 $\pm$ 2.8
Dominant-1st (Category(0-9))	6	7 $\pm$ 1
Dominant-2nd (Category(0-9))	7	7 $\pm$ 1
Embeddedness (Category(1-5))	4	5 $\pm$ 1
PeriphytonCoverage (Category(1-5))	2	1 $\pm$ 0
SurroundingMaterial (Category(0-9))	7	4 $\pm$ 1
Topography		
ElevationMax (m)	2913.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	661.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	394.98469	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	9.67801	18.88386 $\pm$ 9.29866
Slope30-50% (%)	23.54995	29.00215 $\pm$ 6.33837
Slope50-60% (%)	15.94819	13.91808 $\pm$ 1.91315
SlopeAvg (%)	61.16147	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	48.94229	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	11.55957	21.60770 $\pm$ 8.54172
SlopeMax (%)	260.41873	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.00000	0.19777 $\pm$ 0.29213
SlopeStdev (%)	27.22470	26.57529 $\pm$ 4.62351
Water Chemistry		
General-DO (mg/L)	12.0000000	11.4175000 $\pm$ 0.7986708
General-pH (pH)	7.8	7.9 $\pm$ 0.4
General-SpCond (μ S/cm)	108.0000000	168.9833333 $\pm$ 123.7858182
General-TempAir (Degrees Celsius)	11.1	26.0
General-TempWater (Degrees Celsius)	5.9000000	7.3183333 $\pm$ 2.7240839
General-Turbidity (NTU)	0.4600000	0.2020000

Site Description

Study Name	CBWQ-Lardeau
Site	NHPOP01
Sampling Date	Oct 01 2011
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	50.41528 N, 117.12222 W
Altitude	2201
Local Basin Name	Poplar Cr
	Lardeau
Stream Order	5



Figure 1. Location Map


Across Reach
Aerial (No image found)



Down Stream
Field Sheet (No image found)
Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary	
Model	Columbia-Okanagan Preliminary March 2010
Analysis Date	August 29, 2017
Taxonomic Level	Family

Cabin Assessment Results

Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	6.0%	0.3%	9.3%	47.3%	37.1%
CABIN Assessment of NHPOP01 on Oct 01, 2011	Mildly Divergent				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Eco Analyts, EcoAnalysts
Date Taxonomy Completed	January 27, 2012
	Marchant Box
Sub-Sample Proportion	100/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Arthropoda	Arachnida	Trombidiformes	Lebertiidae	2	2.0
			Sperchontidae	4	4.0
			Torrenticolidae	1	1.0
	Insecta	Diptera	Chironomidae	76	76.0
			Empididae	1	1.0
		Ephemeroptera	Ameletidae	49	49.0
			Baetidae	34	34.0
			Ephemerellidae	6	6.0
			Heptageniidae	34	34.0
		Plecoptera	Capniidae	12	12.0
			Chloroperlidae	14	14.0
			Leuctridae	2	2.0
			Nemouridae	11	11.0
			Perlidae	1	1.0
			Perlodidae	3	3.0
			Taeniopterygidae	252	252.0
		Trichoptera	Brachycentridae	1	1.0
			Hydropsychidae	3	3.0
			Limnephilidae	2	2.0
			Rhyacophilidae	10	10.0
			Uenoidae	3	3.0
Mollusca	Gastropoda	Neotaenioglossa	Hydrobiidae	1	1.0
			Total	522	522.0

Metrics

Name	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bray-Curtis Distance	0.53	0.4 $\pm$ 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	2.9	3.2 $\pm$ 0.3
Intolerant taxa	--	
Long-lived taxa	1.0	2.1 $\pm$ 1.0
Tolerant individuals (%)	--	0.8 $\pm$ 0.3
Functional Measures		
% Filterers	0.8	2.2 $\pm$ 1.8
% Gatherers	78.9	38.4 $\pm$ 12.4
% Predatores	22.0	19.0 $\pm$ 8.5
% Scrapers	65.1	63.2 $\pm$ 19.7
% Shredder	53.6	27.6 $\pm$ 15.2
No. Clinger Taxa	15.0	23.2 $\pm$ 6.3
Number Of Individuals		
% Chironomidae	14.6	7.4 $\pm$ 6.4
% Coleoptera	0.0	1.5 $\pm$ 3.9
% Diptera + Non-insects	16.3	10.8 $\pm$ 7.6
% Ephemeroptera	23.6	51.7 $\pm$ 18.8
% Ephemeroptera that are Baetidae	27.6	40.6 $\pm$ 30.0
% EPT Individuals	83.7	87.7 $\pm$ 7.4
% Odonata	0.0	0.0 $\pm$ 0.0
% of 2 dominant taxa	62.8	57.9 $\pm$ 14.2
% of 5 dominant taxa	85.2	81.6 $\pm$ 7.9
% of dominant taxa	48.3	39.8 $\pm$ 14.9
% Plecoptera	56.5	31.4 $\pm$ 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	15.8	27.0 $\pm$ 26.2
% Tricoptera	3.6	4.5 $\pm$ 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.9	0.9 $\pm$ 0.1
Total Abundance	522.0	587.4 $\pm$ 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 $\pm$ 0.0
Coleoptera taxa	0.0	0.4 $\pm$ 0.5
Diptera taxa	2.0	3.3 $\pm$ 1.0
Ephemeroptera taxa	4.0	3.8 $\pm$ 0.8

Metrics

Name	NHPOP01	Predicted Group Reference Mean $\pm$ SD
EPT Individuals (Sum)	437.0	526.0 $\pm$ 285.8
EPT taxa (no)	16.0	13.3 $\pm$ 2.7
Odonata taxa	0.0	0.0 $\pm$ 0.0
Pielou's Evenness	0.6	0.7 $\pm$ 0.1
Plecoptera taxa	7.0	6.3 $\pm$ 1.1
Shannon-Wiener Diversity	1.9	1.9 $\pm$ 0.4
Simpson's Diversity	0.7	0.8 $\pm$ 0.1
Simpson's Evenness	0.2	0.3 $\pm$ 0.1
Total No. of Taxa	22.0	19.3 $\pm$ 3.7
Trichoptera taxa	5.0	3.2 $\pm$ 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHPOP01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	0.99
Capniidae	78%	55%	50%	92%	68%	0.78
Chironomidae	100%	100%	100%	100%	95%	0.98
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemereilidae	78%	100%	100%	100%	100%	0.99
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.84
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlodidae	78%	78%	89%	92%	81%	0.87
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.94

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.67
RIVPACS : Observed taxa P>0.50	16.00
RIVPACS : O:E (p > 0.5)	1.17
RIVPACS : Expected taxa P>0.70	10.34
RIVPACS : Observed taxa P>0.70	11.00
RIVPACS : O:E (p > 0.7)	1.06

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	49.06549	11.07346 $\pm$ 28.63466
Metamorphic (%)	0.00000	17.96649 $\pm$ 35.53463
Sedimentary (%)	41.12343	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	9.81108	0.00000 $\pm$ 0.00000
Channel		
Depth-Avg (cm)	37.7	23.6 $\pm$ 11.1
Depth-BankfullMinusWetted (cm)	40.00	51.38 $\pm$ 29.42
Depth-Max (cm)	54.0	34.6 $\pm$ 12.3
Macrophyte (PercentRange)	0	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 $\pm$ 0.78
Reach-DomStreamsideVeg (Category (1-4))	3	4 $\pm$ 1
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	0	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	1	1 $\pm$ 1
Slope (m/m)	0.3330000	0.0546683 $\pm$ 0.0376269
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	1	1 $\pm$ 0

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.42	0.48 $\pm$ 0.22
Velocity-Max (m/s)	0.63	0.76 $\pm$ 0.36
Width-Bankfull (m)	19.0	13.4 $\pm$ 9.9
Width-Wetted (m)	8.0	8.5 $\pm$ 5.8
XSEC-VelMethod (Category (1-3))	1	1 $\pm$ 0
Climate		
Precip01_JAN (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	127.33333	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	111.66667	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	79.33333	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	93.66667	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	82.33333	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	79.66667	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	74.66667	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	97.33333	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	154.00000	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	169.00000	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1304.66667	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-6.33333	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-12.66667	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-3.33333	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-10.66667	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	0.33333	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-7.66667	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	3.66667	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-4.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	8.66667	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	0.00000	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	12.66667	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	2.33333	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	16.33333	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	4.66667	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	16.33333	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	4.66667	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	11.33333	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	1.00000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	4.00000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-2.66667	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-3.00000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-8.66667	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-6.66667	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-12.33333	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	4.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	0.33333	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-3.66667	-2.18056 $\pm$ 2.41152
Hydrology		
Drainage-Area (km ²)	156.45383	124.42081 $\pm$ 200.99192
Perimeter (Km)	91.30526	64.71360 $\pm$ 56.15436
StreamDensity (m/km ²)	2513.61974	2246.06682 $\pm$ 604.89962
StreamLength (m)	393265.43	302226.63 $\pm$ 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	4.06461	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.07034	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	20.30906	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	0.85769	0.94121 $\pm$ 1.53621

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	34.64997	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	3.61175	1.87556 $\pm$ 1.68508
Natl-Herb (%)	11.83169	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.09616	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	2.00817	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	0.75296	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	1.72401	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.47684	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.00559	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.67380	0.02487 $\pm$ 0.06034
Substrate Data		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	4	9 $\pm$ 9
%Cobble (%)	60	51 $\pm$ 15
%Gravel (%)	4	3 $\pm$ 3
%Pebble (%)	32	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	0	0 $\pm$ 0
D50 (cm)	8.50	15.12 $\pm$ 14.26
Dg (cm)	7.6	8.2 $\pm$ 2.8
Dominant-1st (Category(0-9))	6	7 $\pm$ 1
Dominant-2nd (Category(0-9))	5	7 $\pm$ 1
Embeddedness (Category(1-5))	3	5 $\pm$ 1
PeriphytonCoverage (Category(1-5))	2	1 $\pm$ 0
SurroundingMaterial (Category(0-9))	2	4 $\pm$ 1
Topography		
ElevationMax (m)	2913.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	661.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	394.98469	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	9.67801	18.88386 $\pm$ 9.29866
Slope30-50% (%)	23.54995	29.00215 $\pm$ 6.33837
Slope50-60% (%)	15.94819	13.91808 $\pm$ 1.91315
SlopeAvg (%)	61.16147	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	48.94229	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	11.55957	21.60770 $\pm$ 8.54172
SlopeMax (%)	260.41873	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.00000	0.19777 $\pm$ 0.29213
SlopeStdev (%)	27.22470	26.57529 $\pm$ 4.62351
Water Chemistry		
General-DO (mg/L)	11.0000000	11.4175000 $\pm$ 0.7986708
General-pH (pH)	7.8	7.9 $\pm$ 0.4
General-SpCond (μ S/cm)	107.3000000	168.9833333 $\pm$ 123.7858182
General-TempAir (Degrees Celsius)	14.0	26.0
General-TempWater (Degrees Celsius)	8.0000000	7.3183333 $\pm$ 2.7240839
General-Turbidity (NTU)	0.4500000	0.2020000

Site Description

Study Name	CBWQ-Lardeau
Site	NHPOP01
Sampling Date	Nov 04 2012
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	50.41528 N, 117.12222 W
Altitude	2201
Local Basin Name	Poplar Cr
	Lardeau
Stream Order	5



Figure 1. Location Map

Across Reach
Aerial (No image found)



Down Stream



Field Sheet
Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary					
Model	Columbia-Okanagan Preliminary March 2010				
Analysis Date	August 29, 2017				
Taxonomic Level	Family				
Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	1.5%	0.4%	10.0%	47.4%	40.7%
CABIN Assessment of NHPOP01 on Nov 04, 2012	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Eco Analysts, EcoAnalysts
Date Taxonomy Completed	February 13, 2013
	Marchant Box
Sub-Sample Proportion	100/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Annelida	Oligochaeta	Enchytraeida	Enchytraeidae	1	1.0
Arthropoda	Insecta	Diptera	Ceratopogonidae	1	1.0
			Chironomidae	9	9.0
			Empididae	2	2.0
			Simuliidae	1	1.0
			Tipulidae	1	1.0
		Ephemeroptera	Ameletidae	22	22.0
			Baetidae	26	26.0
			Ephemerellidae	4	4.0
			Heptageniidae	23	23.0
		Plecoptera	Capniidae	27	27.0
			Chloroperlidae	17	17.0
			Leuctridae	2	2.0
			Nemouridae	49	49.0
			Perlidae	2	2.0

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Perlodidae	3	3.0
			Taeniopterygidae	218	218.0
		Trichoptera	Brachycentridae	1	1.0
			Uenoidae	4	4.0
			Total	413	413.0

Metrics

Name	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bray-Curtis Distance	0.5	0.4 $\pm$ 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	2.2	3.2 $\pm$ 0.3
Intolerant taxa	--	
Long-lived taxa	1.0	2.1 $\pm$ 1.0
Tolerant individuals (%)	--	0.8 $\pm$ 0.3
Functional Measures		
% Filterers	0.5	2.2 $\pm$ 1.8
% Gatherers	79.2	38.4 $\pm$ 12.4
% Predatores	8.5	19.0 $\pm$ 8.5
% Scrapers	70.2	63.2 $\pm$ 19.7
% Shredder	72.2	27.6 $\pm$ 15.2
No. Clinger Taxa	13.0	23.2 $\pm$ 6.3
Number Of Individuals		
% Chironomidae	2.2	7.4 $\pm$ 6.4
% Coleoptera	0.0	1.5 $\pm$ 3.9
% Diptera + Non-insects	3.6	10.8 $\pm$ 7.6
% Ephemeroptera	18.2	51.7 $\pm$ 18.8
% Ephemeroptera that are Baetidae	34.7	40.6 $\pm$ 30.0
% EPT Individuals	96.4	87.7 $\pm$ 7.4
% Odonata	0.0	0.0 $\pm$ 0.0
% of 2 dominant taxa	64.6	57.9 $\pm$ 14.2
% of 5 dominant taxa	83.1	81.6 $\pm$ 7.9
% of dominant taxa	52.8	39.8 $\pm$ 14.9
% Plecoptera	77.0	31.4 $\pm$ 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	0.0	27.0 $\pm$ 26.2
% Tricoptera	1.2	4.5 $\pm$ 2.8
No. EPT individuals/Chironomids+EPT Individuals	1.0	0.9 $\pm$ 0.1
Total Abundance	413.0	587.4 $\pm$ 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 $\pm$ 0.0
Coleoptera taxa	0.0	0.4 $\pm$ 0.5
Diptera taxa	5.0	3.3 $\pm$ 1.0
Ephemeroptera taxa	4.0	3.8 $\pm$ 0.8
EPT Individuals (Sum)	398.0	526.0 $\pm$ 285.8
EPT taxa (no)	13.0	13.3 $\pm$ 2.7
Odonata taxa	0.0	0.0 $\pm$ 0.0
Pielou's Evenness	0.6	0.7 $\pm$ 0.1
Plecoptera taxa	7.0	6.3 $\pm$ 1.1
Shannon-Wiener Diversity	1.8	1.9 $\pm$ 0.4
Simpson's Diversity	0.7	0.8 $\pm$ 0.1
Simpson's Evenness	0.2	0.3 $\pm$ 0.1
Total No. of Taxa	19.0	19.3 $\pm$ 3.7
Trichoptera taxa	2.0	3.2 $\pm$ 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHPOP01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	0.99
Capniidae	78%	55%	50%	92%	68%	0.77
Chironomidae	100%	100%	100%	100%	95%	0.98

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHPOP01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Chloroperlidae	78%	88%	94%	100%	100%	0.99
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.87
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlodidae	78%	78%	89%	92%	81%	0.87
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.95

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.72
RIVPACS : Observed taxa P>0.50	14.00
RIVPACS : O:E (p > 0.5)	1.02
RIVPACS : Expected taxa P>0.70	10.39
RIVPACS : Observed taxa P>0.70	9.00
RIVPACS : O:E (p > 0.7)	0.87

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	49.06549	11.07346 $\pm$ 28.63466
Metamorphic (%)	0.00000	17.96649 $\pm$ 35.53463
Sedimentary (%)	41.12343	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	9.81108	0.00000 $\pm$ 0.00000
Channel		
Depth-Avg (cm)	29.3	23.6 $\pm$ 11.1
Depth-BankfullMinusWetted (cm)	50.00	51.38 $\pm$ 29.42
Depth-Max (cm)	50.0	34.6 $\pm$ 12.3
Macrophyte (PercentRange)	0	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 $\pm$ 0.78
Reach-DomStreamsideVeg (Category (1-4))	3	4 $\pm$ 1
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	1	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	1	1 $\pm$ 1
Slope (m/m)	0.0200000	0.0546683 $\pm$ 0.0376269
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	1	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.77	0.48 $\pm$ 0.22
Velocity-Max (m/s)	1.25	0.76 $\pm$ 0.36
Width-Bankfull (m)	13.5	13.4 $\pm$ 9.9
Width-Wetted (m)	10.0	8.5 $\pm$ 5.8
XSEC-VelMethod (Category (1-3))	1	1 $\pm$ 0
Climate		
Precip01_JAN (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	127.33333	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	111.66667	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	79.33333	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	93.66667	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	82.33333	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	79.66667	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	74.66667	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	97.33333	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	154.00000	105.93889 $\pm$ 25.04104

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Precip12_DEC (mm)	169.00000	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1304.66667	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-6.33333	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-12.66667	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-3.33333	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-10.66667	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	0.33333	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-7.66667	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	3.66667	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-4.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	8.66667	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	0.00000	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	12.66667	15.72500 $\pm$ 3.40030
Temp06_JUNmin (Degrees Celsius)	2.33333	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	16.33333	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	4.66667	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	16.33333	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	4.66667	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	11.33333	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	1.00000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	4.00000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-2.66667	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-3.00000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-8.66667	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-6.66667	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-12.33333	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	4.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	0.33333	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-3.66667	-2.18056 $\pm$ 2.41152
Hydrology		
Drainage-Area (km ²)	156.45383	124.42081 $\pm$ 200.99192
Perimeter (Km)	91.30526	64.71360 $\pm$ 56.15436
StreamDensity (m/km ²)	2513.61974	2246.06682 $\pm$ 604.89962
StreamLength (m)	393265.43	302226.63 $\pm$ 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	4.06461	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.07034	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	20.30906	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	0.85769	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	34.64997	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	3.61175	1.87556 $\pm$ 1.68508
Natl-Herb (%)	11.83169	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.09616	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	2.00817	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	0.75296	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	1.72401	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.47684	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.00559	0.12918 $\pm$ 0.35193

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.67380	0.02487 $\pm$ 0.06034
Substrate Data		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	8	9 $\pm$ 9
%Cobble (%)	52	51 $\pm$ 15
%Gravel (%)	5	3 $\pm$ 3
%Pebble (%)	32	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	3	0 $\pm$ 0
D50 (cm)	8.00	15.12 $\pm$ 14.26
Dg (cm)	7.0	8.2 $\pm$ 2.8
Dominant-1st (Category(0-9))	6	7 $\pm$ 1
Dominant-2nd (Category(0-9))	5	7 $\pm$ 1
Embeddedness (Category(1-5))	3	5 $\pm$ 1
PeriphytonCoverage (Category(1-5))	2	1 $\pm$ 0
SurroundingMaterial (Category(0-9))	3	4 $\pm$ 1
Topography		
ElevationMax (m)	2913.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	661.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	394.98469	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	9.67801	18.88386 $\pm$ 9.29866
Slope30-50% (%)	23.54995	29.00215 $\pm$ 6.33837
Slope50-60% (%)	15.94819	13.91808 $\pm$ 1.91315
SlopeAvg (%)	61.16147	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	48.94229	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	11.55957	21.60770 $\pm$ 8.54172
SlopeMax (%)	260.41873	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.00000	0.19777 $\pm$ 0.29213
SlopeStdev (%)	27.22470	26.57529 $\pm$ 4.62351
Water Chemistry		
General-Alkalinity (mg/L)	29.4000000	71.7000000 $\pm$ 53.9231440
General-DO (mg/L)	11.0000000	11.4175000 $\pm$ 0.7986708
General-pH (pH)	7.4	7.9 $\pm$ 0.4
General-SpCond (μ S/cm)	82.5000000	168.9833333 $\pm$ 123.7858182
General-TempAir (Degrees Celsius)	7.9	26.0
General-TempWater (Degrees Celsius)	4.9000000	7.3183333 $\pm$ 2.7240839
General-Turbidity (NTU)	0.9400000	0.2020000
Nitrogen-NO2 (mg/L)	0.0000000	0.0027500 $\pm$ 0.0062831
Nitrogen-NO2+NO3 (mg/L)	0.2180000	0.0690000
Nitrogen-NO3 (mg/L)	0.2180000	0.0546667 $\pm$ 0.0498148
Phosphorus-OrthoP (mg/L)	0.0000000	0.0002727 $\pm$ 0.0004671

Site Description

Study Name	CBWQ-Lardeau
Site	NHPOP01
Sampling Date	Oct 27 2013
Know Your Watershed Basin	Lower Kootenay
Province / Territory	British Columbia
Terrestrial Ecological Classification	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
Coordinates (decimal degrees)	50.41528 N, 117.12222 W
Altitude	2201
Local Basin Name	Poplar Cr
	Lardeau
Stream Order	5



Figure 1. Location Map

Across Reach
Aerial (No image found)



Down Stream
Field Sheet (No image found)
Miscellaneous (No image found)



Substrate



Up Stream

Cabin Assessment Results

Reference Model Summary	
Model	Columbia-Okanagan Preliminary March 2010
Analysis Date	August 29, 2017
Taxonomic Level	Family

Cabin Assessment Results

Predictive Model Variables	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
Reference Groups	1	2	3	4	5
Number of Reference Sites	9	43	17	12	33
Group Error Rate	22.2%	24.5%	22.2%	25.0%	32.4%
Overall Model Error Rate	26.4%				
Probability of Group Membership	4.9%	0.3%	9.5%	47.5%	37.7%
CABIN Assessment of NHPOP01 on Oct 27, 2013	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

Sample Information

Sampling Device	Kick Net
Mesh Size	400
Sampling Time	3
Taxonomist	Pina Viola, Consultant
Date Taxonomy Completed	January 15, 2014
	Marchant Box
Sub-Sample Proportion	20/100

Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Annelida	Oligochaeta	Tubificida	Naididae	4	20.0
Arthropoda	Arachnida	Trombidiformes	Sperchontidae	1	5.0
	Insecta	Diptera	Chironomidae	13	65.0
			Empididae	13	65.0
			Simuliidae	1	5.0
			Tipulidae	1	5.0
		Ephemeroptera	Ameletidae	6	30.0
			Baetidae	97	485.0
			Ephemerellidae	3	15.0
			Heptageniidae	20	100.0
		Plecoptera		15	75.0
			Capniidae	8	40.0
			Chloroperlidae	4	20.0
			Nemouridae	22	110.0
			Perlodidae	2	10.0
			Taeniopterygidae	107	535.0
		Trichoptera	Hydropsychidae	2	10.0
			Rhyacophilidae	4	20.0
			Uenoidae	4	20.0
			Total	327	1,635.0

Metrics

Name	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bray-Curtis Distance	0.57	0.4 $\pm$ 0.1
Biotic Indices		
Hilsenhoff Family index (North-West)	3.0	3.2 $\pm$ 0.3
Intolerant taxa	--	
Long-lived taxa	--	2.1 $\pm$ 1.0
Tolerant individuals (%)	--	0.8 $\pm$ 0.3
Functional Measures		
% Filterers	0.9	2.2 $\pm$ 1.8
% Gatherers	50.2	38.4 $\pm$ 12.4
% Predatores	12.2	19.0 $\pm$ 8.5
% Scrapers	71.3	63.2 $\pm$ 19.7
% Shredder	42.2	27.6 $\pm$ 15.2
No. Clinger Taxa	19.0	23.2 $\pm$ 6.3
Number Of Individuals		
% Chironomidae	4.2	7.4 $\pm$ 6.4
% Coleoptera	0.0	1.5 $\pm$ 3.9
% Diptera + Non-insects	10.6	10.8 $\pm$ 7.6
% Ephemeroptera	40.4	51.7 $\pm$ 18.8
% Ephemeroptera that are Baetidae	77.0	40.6 $\pm$ 30.0
% EPT Individuals	89.4	87.7 $\pm$ 7.4
% Odonata	0.0	0.0 $\pm$ 0.0
% of 2 dominant taxa	65.4	57.9 $\pm$ 14.2
% of 5 dominant taxa	83.0	81.6 $\pm$ 7.9
% of dominant taxa	34.3	39.8 $\pm$ 14.9
% Plecoptera	45.8	31.4 $\pm$ 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	20.0	27.0 $\pm$ 26.2
% Tricoptera	3.2	4.5 $\pm$ 2.8
No. EPT individuals/Chironomids+EPT Individuals	1.0	0.9 $\pm$ 0.1
Total Abundance	1635.0	587.4 $\pm$ 299.1
Richness		
Chironomidae taxa (genus level only)	1.0	1.0 $\pm$ 0.0
Coleoptera taxa	0.0	0.4 $\pm$ 0.5
Diptera taxa	4.0	3.3 $\pm$ 1.0
Ephemeroptera taxa	4.0	3.8 $\pm$ 0.8
EPT Individuals (Sum)	1395.0	526.0 $\pm$ 285.8
EPT taxa (no)	12.0	13.3 $\pm$ 2.7
Odonata taxa	0.0	0.0 $\pm$ 0.0

Metrics

Name	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Pielou's Evenness	0.7	0.7 $\pm$ 0.1
Plecoptera taxa	5.0	6.3 $\pm$ 1.1
Shannon-Wiener Diversity	1.9	1.9 $\pm$ 0.4
Simpson's Diversity	0.8	0.8 $\pm$ 0.1
Simpson's Evenness	0.2	0.3 $\pm$ 0.1
Total No. of Taxa	18.0	19.3 $\pm$ 3.7
Trichoptera taxa	3.0	3.2 $\pm$ 1.4

Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NHPOP01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	0.99
Capniidae	78%	55%	50%	92%	68%	0.78
Chironomidae	100%	100%	100%	100%	95%	0.98
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemerellidae	78%	100%	100%	100%	100%	0.99
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.84
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlodidae	78%	78%	89%	92%	81%	0.87
Rhyacophilidae	100%	92%	100%	100%	95%	0.98
Taeniopterygidae	89%	49%	100%	92%	97%	0.94

RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	13.69
RIVPACS : Observed taxa P>0.50	15.00
RIVPACS : O:E (p > 0.5)	1.10
RIVPACS : Expected taxa P>0.70	10.35
RIVPACS : Observed taxa P>0.70	11.00
RIVPACS : O:E (p > 0.7)	1.06

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Bedrock Geology		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	49.06549	11.07346 $\pm$ 28.63466
Metamorphic (%)	0.00000	17.96649 $\pm$ 35.53463
Sedimentary (%)	41.12343	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	9.81108	0.00000 $\pm$ 0.00000
Channel		
Depth-Avg (cm)	36.5	23.6 $\pm$ 11.1
Depth-BankfullMinusWetted (cm)	67.00	51.38 $\pm$ 29.42
Depth-Max (cm)	55.0	34.6 $\pm$ 12.3
Macrophyte (PercentRange)	0	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	1.00	1.33 $\pm$ 0.78
Reach-DomStreamsideVeg (Category (1-4))	4	4 $\pm$ 1
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	0	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	1	1 $\pm$ 1
Slope (m/m)	0.1125000	0.0546683 $\pm$ 0.0376269
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	1	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.49	0.48 $\pm$ 0.22
Velocity-Max (m/s)	0.63	0.76 $\pm$ 0.36

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Width-Bankfull (m)	20.0	13.4 $\pm$ 9.9
Width-Wetted (m)	12.0	8.5 $\pm$ 5.8
XSEC-VelMethod (Category (1-3))	1	1 $\pm$ 0
Climate		
Precip01_JAN (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	127.33333	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	111.66667	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	154.33333	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	79.33333	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	93.66667	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	82.33333	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	79.66667	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	74.66667	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	97.33333	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	154.00000	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	169.00000	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1304.66667	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-6.33333	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-12.66667	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-3.33333	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-10.66667	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	0.33333	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-7.66667	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	3.66667	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-4.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	8.66667	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	0.00000	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	12.66667	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	2.33333	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	16.33333	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	4.66667	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	16.33333	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	4.66667	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	11.33333	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	1.00000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	4.00000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-2.66667	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-3.00000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-8.66667	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-6.66667	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-12.33333	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	4.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	0.33333	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-3.66667	-2.18056 $\pm$ 2.41152
Hydrology		
Drainage-Area (km ²)	156.45383	124.42081 $\pm$ 200.99192
Perimeter (Km)	91.30526	64.71360 $\pm$ 56.15436
StreamDensity (m/km ²)	2513.61974	2246.06682 $\pm$ 604.89962
StreamLength (m)	393265.43	302226.63 $\pm$ 500983.26
Landcover		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	4.06461	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.07034	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	20.30906	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	0.85769	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	34.64997	13.20054 $\pm$ 11.11850

Habitat Description

Variable	NHPOP01	Predicted Group Reference Mean $\pm$ SD
Natl-Grassland (%)	3.61175	1.87556 $\pm$ 1.68508
Natl-Herb (%)	11.83169	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.09616	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	2.00817	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	0.75296	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	1.72401	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.47684	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.00559	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.67380	0.02487 $\pm$ 0.06034
Substrate Data		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	6	9 $\pm$ 9
%Cobble (%)	79	51 $\pm$ 15
%Gravel (%)	3	3 $\pm$ 3
%Pebble (%)	12	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	0	0 $\pm$ 0
D50 (cm)	11.00	15.12 $\pm$ 14.26
Dg (cm)	10.9	8.2 $\pm$ 2.8
Dominant-1st (Category(0-9))	7	7 $\pm$ 1
Dominant-2nd (Category(0-9))	6	7 $\pm$ 1
Embeddedness (Category(1-5))	4	5 $\pm$ 1
PeriphytonCoverage (Category(1-5))	3	1 $\pm$ 0
SurroundingMaterial (Category(0-9))	4	4 $\pm$ 1
Topography		
ElevationMax (m)	2913.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	661.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	394.98469	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	9.67801	18.88386 $\pm$ 9.29866
Slope30-50% (%)	23.54995	29.00215 $\pm$ 6.33837
Slope50-60% (%)	15.94819	13.91808 $\pm$ 1.91315
SlopeAvg (%)	61.16147	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	48.94229	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	11.55957	21.60770 $\pm$ 8.54172
SlopeMax (%)	260.41873	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.00000	0.19777 $\pm$ 0.29213
SlopeStdev (%)	27.22470	26.57529 $\pm$ 4.62351
Water Chemistry		
General-DO (mg/L)	11.0000000	11.4175000 $\pm$ 0.7986708
General-pH (pH)	7.6	7.9 $\pm$ 0.4
General-SpCond (μ S/cm)	103.0000000	168.9833333 $\pm$ 123.7858182
General-TempAir (Degrees Celsius)	7.1	26.0
General-TempWater (Degrees Celsius)	4.6000000	7.3183333 $\pm$ 2.7240839
General-Turbidity (NTU)	0.8600000	0.2020000
Nitrogen-NO2 (mg/L)	0.0000000	0.0027500 $\pm$ 0.0062831
Nitrogen-NO2+NO3 (mg/L)	0.0750000	0.0690000
Nitrogen-NO3 (mg/L)	0.0750000	0.0546667 $\pm$ 0.0498148
Phosphorus-OrthoP (mg/L)	0.0157000	0.0002727 $\pm$ 0.0004671