



NORTH COAL LIMITED
ATTN: Bill Arling
652 F Sparwood Drive
PO Box 576
Sparwood BC V0B 2G0

Date Received: 12-MAR-21
Report Date: 23-MAR-21 09:27 (MT)
Version: FINAL

Client Phone: 250-423-8854

Certificate of Analysis

Lab Work Order #: L2566281
Project P.O. #: NOT SUBMITTED
Job Reference: 18CANA02
C of C Numbers:
Legal Site Desc:

Patryk Wojciak, B.Sc., P.Chem.
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 2559 29 Street NE, Calgary, AB T1Y 7B5 Canada | Phone: +1 403 291 9897 | Fax: +1 403 291 0298
ALS CANADA LTD Part of the ALS Group An ALS Limited Company

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2566281-1 Surface Water 11-MAR-21 11:00 MICH-13.0	L2566281-2 Surface Water 11-MAR-21 12:45 AND1	L2566281-3 Surface Water 11-MAR-21 10:30 DUPLICATE	L2566281-4 Surface Water 11-MAR-21 12:15 MICH-33.8	L2566281-5 Surface Water 11-MAR-21 13:30 MICH-39.1
Grouping	Analyte					
WATER						
Physical Tests	Colour, True (CU)	<5.0	<5.0	<5.0	<5.0	<5.0
	Hardness (as CaCO ₃) (mg/L)	235	148	239	390	674
	Total Suspended Solids (mg/L)	3.0	<3.0	<3.0	3.4	<3.0
	Total Dissolved Solids (mg/L)	267 ^{DLHC}	152 ^{DLHC}	259 ^{DLHC}	467 ^{DLHC}	822 ^{DLHC}
	Turbidity (NTU)	0.18	0.12	0.23	0.33	0.17
Anions and Nutrients	Alkalinity, Total (as CaCO ₃) (mg/L)	159	125	163	186	237
	Ammonia as N (mg/L)	0.0369	0.0212	0.0151	0.0052	0.0293
	Bicarbonate (HCO ₃) (mg/L)	194	152	198	227	289
	Bromide (Br) (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Carbonate (CO ₃) (mg/L)	<5.0	<5.0	<5.0	<5.0	<5.0
	Chloride (Cl) (mg/L)	2.56	<0.50	2.51	2.14	2.65
	Conductivity (EC) (uS/cm)	427	257	426	685	1080
	Fluoride (F) (mg/L)	0.113	0.310	0.111	0.160	0.125
	Hydroxide (OH) (mg/L)	<5.0	<5.0	<5.0	<5.0	<5.0
	Nitrate (as N) (mg/L)	0.364	0.160	0.356	1.30	2.74
	Nitrite (as N) (mg/L)	0.0018	<0.0010	0.0014	0.0018	0.0090
	Total Kjeldahl Nitrogen (mg/L)	0.175	0.175	0.163	0.680	0.463
	pH (pH)	8.27	8.16	8.25	8.25	8.27
	Orthophosphate-Dissolved (as P) (mg/L)	0.0050	<0.0010	0.0037	0.0023	<0.0010
	Phosphorus (P)-Total (mg/L)	0.0041	<0.0020	0.0050	0.0024	<0.0020
	Sulfate (SO ₄) (mg/L)	80.9	21.3	80.8	210	413
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	1.00	0.62	1.10	0.84	0.96
	Total Organic Carbon (mg/L)	1.05	0.58	1.19	0.85	1.01
Total Metals	Aluminum (Al)-Total (mg/L)	0.0062	0.0047	0.0055	0.0196	0.0148
	Antimony (Sb)-Total (mg/L)	0.00047	0.00033	0.00029	0.00027	0.00030
	Arsenic (As)-Total (mg/L)	0.00015	0.00041	0.00017	0.00021	0.00019
	Barium (Ba)-Total (mg/L)	0.154	0.0236	0.157	0.0826	0.0701
	Beryllium (Be)-Total (mg/L)	<0.000020	<0.000020	<0.000020	<0.000020	<0.000020
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Total (mg/L)	<0.010	<0.010	<0.010	0.018	0.039
	Cadmium (Cd)-Total (mg/L)	0.0000261	0.0000137	0.0000242	0.0000199	0.0000235
	Calcium (Ca)-Total (mg/L)	66.2	45.2	66.4	100	147
	Chromium (Cr)-Total (mg/L)	0.00011	0.00027	0.00010	0.00023	0.00019
	Cobalt (Co)-Total (mg/L)	<0.00010	<0.00010	<0.00010	0.00014	0.00121
	Copper (Cu)-Total (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Iron (Fe)-Total (mg/L)	<0.010	<0.010	<0.010	0.028	0.024

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2566281-6 Surface Water 11-MAR-21 14:00 FIELD BLANK	L2566281-7 Surface Water 11-MAR-21 14:30 TRIP BLANK			
Grouping	Analyte					
WATER						
Physical Tests	Colour, True (CU)	<5.0	<5.0			
	Hardness (as CaCO3) (mg/L)	<0.50	<0.50			
	Total Suspended Solids (mg/L)	<3.0	<3.0			
	Total Dissolved Solids (mg/L)	<10	<10			
	Turbidity (NTU)	<0.10	<0.10			
Anions and Nutrients	Alkalinity, Total (as CaCO3) (mg/L)	<2.0	<2.0			
	Ammonia as N (mg/L)	<0.0050	<0.0050			
	Bicarbonate (HCO3) (mg/L)	<5.0	<5.0			
	Bromide (Br) (mg/L)	<0.050	<0.050			
	Carbonate (CO3) (mg/L)	<5.0	<5.0			
	Chloride (Cl) (mg/L)	<0.50	<0.50			
	Conductivity (EC) (uS/cm)	<2.0	<2.0			
	Fluoride (F) (mg/L)	<0.020	<0.020			
	Hydroxide (OH) (mg/L)	<5.0	<5.0			
	Nitrate (as N) (mg/L)	<0.0050	<0.0050			
	Nitrite (as N) (mg/L)	<0.0010	<0.0010			
	Total Kjeldahl Nitrogen (mg/L)	<0.050	<0.050			
	pH (pH)	5.37	5.28			
	Orthophosphate-Dissolved (as P) (mg/L)	<0.0010	<0.0010			
	Phosphorus (P)-Total (mg/L)	<0.0020	<0.0020			
	Sulfate (SO4) (mg/L)	<0.30	<0.30			
Organic / Inorganic Carbon	Dissolved Organic Carbon (mg/L)	<0.50	<0.50			
	Total Organic Carbon (mg/L)	<0.50	<0.50			
Total Metals	Aluminum (Al)-Total (mg/L)	<0.0030	<0.0030			
	Antimony (Sb)-Total (mg/L)	<0.00010	<0.00010			
	Arsenic (As)-Total (mg/L)	<0.00010	<0.00010			
	Barium (Ba)-Total (mg/L)	<0.00010	<0.00010			
	Beryllium (Be)-Total (mg/L)	<0.000020	<0.000020			
	Bismuth (Bi)-Total (mg/L)	<0.000050	<0.000050			
	Boron (B)-Total (mg/L)	<0.010	<0.010			
	Cadmium (Cd)-Total (mg/L)	<0.0000050	<0.0000050			
	Calcium (Ca)-Total (mg/L)	<0.050	<0.050			
	Chromium (Cr)-Total (mg/L)	<0.00010	<0.00010			
	Cobalt (Co)-Total (mg/L)	<0.00010	<0.00010			
	Copper (Cu)-Total (mg/L)	<0.00050	<0.00050			
	Iron (Fe)-Total (mg/L)	<0.010	<0.010			

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2566281-1 Surface Water 11-MAR-21 11:00 MICH-13.0	L2566281-2 Surface Water 11-MAR-21 12:45 AND1	L2566281-3 Surface Water 11-MAR-21 10:30 DUPLICATE	L2566281-4 Surface Water 11-MAR-21 12:15 MICH-33.8	L2566281-5 Surface Water 11-MAR-21 13:30 MICH-39.1
Grouping	Analyte						
WATER							
Total Metals	Lead (Pb)-Total (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Total (mg/L)	0.0067	0.0026	0.0066	0.0123	0.0256	0.0256
	Magnesium (Mg)-Total (mg/L)	18.5	9.61	19.0	37.3	69.1	69.1
	Manganese (Mn)-Total (mg/L)	0.00072	<0.00010	0.00070	0.00228	0.00826	0.00826
	Mercury (Hg)-Total (mg/L)	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Total (mg/L)	0.000655	0.000893	0.000665	0.000751	0.000856	0.000856
	Nickel (Ni)-Total (mg/L)	<0.00050	<0.00050	<0.00050	0.00270	0.0138	0.0138
	Phosphorus (P)-Total (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
	Potassium (K)-Total (mg/L)	0.67	0.24	0.67	0.94	1.79	1.79
	Selenium (Se)-Total (mg/L)	0.00209	0.00171	0.00216	0.00536	0.00949	0.00949
	Silicon (Si)-Total (mg/L)	2.17	1.45	2.20	1.92	2.18	2.18
	Silver (Ag)-Total (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Total (mg/L)	5.46	0.910	5.56	11.0	23.8	23.8
	Strontium (Sr)-Total (mg/L)	0.189	0.162	0.193	0.332	0.550	0.550
	Sulfur (S)-Total (mg/L)	30.8	8.03	30.3	82.8	161	161
	Thallium (Tl)-Total (mg/L)	0.000012	0.000037	<0.000010	0.000012	0.000014	0.000014
	Tin (Sn)-Total (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Total (mg/L)	<0.00030	<0.00030	<0.00030	0.00038	<0.00030	<0.00030
	Uranium (U)-Total (mg/L)	0.000764	0.000844	0.000785	0.00189	0.00315	0.00315
	Vanadium (V)-Total (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Total (mg/L)	<0.0030	<0.0030	<0.0030	<0.0030	<0.0030	<0.0030
	Zirconium (Zr)-Total (mg/L)	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030
Dissolved Metals	Dissolved Mercury Filtration Location	FIELD	FIELD	FIELD	FIELD	FIELD	FIELD
	Dissolved Metals Filtration Location	FIELD	FIELD	FIELD	FIELD	FIELD	FIELD
	Aluminum (Al)-Dissolved (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Antimony (Sb)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	0.00010	0.00017	0.00017
	Arsenic (As)-Dissolved (mg/L)	0.00017	0.00042	0.00016	0.00020	0.00018	0.00018
	Barium (Ba)-Dissolved (mg/L)	0.150	0.0233	0.154	0.0803	0.0715	0.0715
	Beryllium (Be)-Dissolved (mg/L)	<0.000020	<0.000020	<0.000020	<0.000020	<0.000020	<0.000020
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Boron (B)-Dissolved (mg/L)	<0.010	<0.010	<0.010	0.018	0.041	0.041
	Cadmium (Cd)-Dissolved (mg/L)	0.0000266	0.0000106	0.0000257	0.0000179	0.0000268	0.0000268
	Calcium (Ca)-Dissolved (mg/L)	63.4	43.1	63.8	95.2	151	151
	Chromium (Cr)-Dissolved (mg/L)	<0.00010	0.00025	<0.00010	0.00016	0.00016	0.00016
	Cobalt (Co)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	0.00104	0.00104
	Copper (Cu)-Dissolved (mg/L)	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020	<0.00020
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2566281-6 Surface Water 11-MAR-21 14:00 FIELD BLANK	L2566281-7 Surface Water 11-MAR-21 14:30 TRIP BLANK			
Grouping	Analyte						
WATER							
Total Metals	Lead (Pb)-Total (mg/L)	<0.000050	<0.000050				
	Lithium (Li)-Total (mg/L)	<0.0010	<0.0010				
	Magnesium (Mg)-Total (mg/L)	<0.0050	<0.0050				
	Manganese (Mn)-Total (mg/L)	<0.00010	<0.00010				
	Mercury (Hg)-Total (mg/L)	<0.0000050	<0.0000050				
	Molybdenum (Mo)-Total (mg/L)	<0.000050	<0.000050				
	Nickel (Ni)-Total (mg/L)	<0.00050	<0.00050				
	Phosphorus (P)-Total (mg/L)	<0.050	<0.050				
	Potassium (K)-Total (mg/L)	<0.10	<0.10				
	Selenium (Se)-Total (mg/L)	<0.000050	<0.000050				
	Silicon (Si)-Total (mg/L)	<0.050	<0.050				
	Silver (Ag)-Total (mg/L)	<0.000010	<0.000010				
	Sodium (Na)-Total (mg/L)	<0.050	<0.050				
	Strontium (Sr)-Total (mg/L)	<0.00020	<0.00020				
	Sulfur (S)-Total (mg/L)	<0.50	<0.50				
	Thallium (Tl)-Total (mg/L)	<0.000010	<0.000010				
	Tin (Sn)-Total (mg/L)	<0.00010	<0.00010				
	Titanium (Ti)-Total (mg/L)	<0.00030	<0.00030				
	Uranium (U)-Total (mg/L)	<0.000010	<0.000010				
	Vanadium (V)-Total (mg/L)	<0.00050	<0.00050				
	Zinc (Zn)-Total (mg/L)	<0.0030	<0.0030				
	Zirconium (Zr)-Total (mg/L)	<0.00030	<0.00030				
Dissolved Metals	Dissolved Mercury Filtration Location	FIELD	FIELD				
	Dissolved Metals Filtration Location	FIELD	FIELD				
	Aluminum (Al)-Dissolved (mg/L)	<0.0010	<0.0010				
	Antimony (Sb)-Dissolved (mg/L)	<0.00010	<0.00010				
	Arsenic (As)-Dissolved (mg/L)	<0.00010	<0.00010				
	Barium (Ba)-Dissolved (mg/L)	<0.00010	<0.00010				
	Beryllium (Be)-Dissolved (mg/L)	<0.000020	<0.000020				
	Bismuth (Bi)-Dissolved (mg/L)	<0.000050	<0.000050				
	Boron (B)-Dissolved (mg/L)	<0.010	<0.010				
	Cadmium (Cd)-Dissolved (mg/L)	<0.0000050	<0.0000050				
	Calcium (Ca)-Dissolved (mg/L)	<0.050	<0.050				
	Chromium (Cr)-Dissolved (mg/L)	<0.00010	<0.00010				
	Cobalt (Co)-Dissolved (mg/L)	<0.00010	<0.00010				
	Copper (Cu)-Dissolved (mg/L)	<0.00020	<0.00020				
	Iron (Fe)-Dissolved (mg/L)	<0.010	<0.010				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

Sample ID Description Sampled Date Sampled Time Client ID		L2566281-1 Surface Water 11-MAR-21 11:00 MICH-13.0	L2566281-2 Surface Water 11-MAR-21 12:45 AND1	L2566281-3 Surface Water 11-MAR-21 10:30 DUPLICATE	L2566281-4 Surface Water 11-MAR-21 12:15 MICH-33.8	L2566281-5 Surface Water 11-MAR-21 13:30 MICH-39.1
Grouping	Analyte					
WATER						
Dissolved Metals	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050	<0.000050	<0.000050	<0.000050
	Lithium (Li)-Dissolved (mg/L)	0.0066	0.0024	0.0066	0.0117	0.0254
	Magnesium (Mg)-Dissolved (mg/L)	18.7	9.73	19.3	36.9	72.2
	Manganese (Mn)-Dissolved (mg/L)	0.00045	<0.00010	0.00048	0.00083	0.00653
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050	<0.0000050	<0.0000050	<0.0000050
	Molybdenum (Mo)-Dissolved (mg/L)	0.000684	0.000854	0.000685	0.000736	0.000936
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	0.00246	0.0139
	Phosphorus (P)-Dissolved (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Potassium (K)-Dissolved (mg/L)	0.68	0.23	0.69	0.92	1.90
	Selenium (Se)-Dissolved (mg/L)	0.00246	0.00200	0.00257	0.00598	0.0116
	Silicon (Si)-Dissolved (mg/L)	2.17	1.45	2.19	1.80	2.27
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010	<0.000010	<0.000010	<0.000010
	Sodium (Na)-Dissolved (mg/L)	5.47	0.929	5.63	11.0	24.7
	Strontium (Sr)-Dissolved (mg/L)	0.182	0.152	0.183	0.305	0.549
	Sulfur (S)-Dissolved (mg/L)	29.1	7.45	29.5	75.7	162
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	0.000029	<0.000010	<0.000010	0.000014
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
	Titanium (Ti)-Dissolved (mg/L)	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030
	Uranium (U)-Dissolved (mg/L)	0.000750	0.000784	0.000734	0.00177	0.00329
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	0.0014	<0.0010	<0.0010	0.0017
	Zirconium (Zr)-Dissolved (mg/L)	<0.00030	<0.00030	<0.00030	<0.00030	<0.00030
Aggregate Organics	Chemical Oxygen Demand (mg/L)	<10	<10	<10	<10	<10
Volatile Organic Compounds	Acetone (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Acrolein (mg/L)	<0.050	<0.050	<0.050	<0.050	<0.050
	Acrylonitrile (mg/L)	<0.020	<0.020	<0.020	<0.020	<0.020
	Benzene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Bromobenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Bromochloromethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	Bromodichloromethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Bromoform (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050
	Bromomethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	2-Butanone (MEK) (mg/L)	<0.020	<0.020	<0.020	<0.020	<0.020
	n-Butylbenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	sec-Butylbenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
	tert-Butylbenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2566281-6 Surface Water 11-MAR-21 14:00 FIELD BLANK	L2566281-7 Surface Water 11-MAR-21 14:30 TRIP BLANK			
Grouping	Analyte						
WATER							
Dissolved Metals	Lead (Pb)-Dissolved (mg/L)	<0.000050	<0.000050				
	Lithium (Li)-Dissolved (mg/L)	<0.0010	<0.0010				
	Magnesium (Mg)-Dissolved (mg/L)	<0.0050	<0.0050				
	Manganese (Mn)-Dissolved (mg/L)	<0.00010	<0.00010				
	Mercury (Hg)-Dissolved (mg/L)	<0.0000050	<0.0000050				
	Molybdenum (Mo)-Dissolved (mg/L)	<0.000050	<0.000050				
	Nickel (Ni)-Dissolved (mg/L)	<0.00050	<0.00050				
	Phosphorus (P)-Dissolved (mg/L)	<0.050	<0.050				
	Potassium (K)-Dissolved (mg/L)	<0.10	<0.10				
	Selenium (Se)-Dissolved (mg/L)	<0.000050	<0.000050				
	Silicon (Si)-Dissolved (mg/L)	<0.050	<0.050				
	Silver (Ag)-Dissolved (mg/L)	<0.000010	<0.000010				
	Sodium (Na)-Dissolved (mg/L)	<0.050	<0.050				
	Strontium (Sr)-Dissolved (mg/L)	<0.00020	<0.00020				
	Sulfur (S)-Dissolved (mg/L)	<0.50	<0.50				
	Thallium (Tl)-Dissolved (mg/L)	<0.000010	<0.000010				
	Tin (Sn)-Dissolved (mg/L)	<0.00010	<0.00010				
	Titanium (Ti)-Dissolved (mg/L)	<0.00030	<0.00030				
	Uranium (U)-Dissolved (mg/L)	<0.000010	<0.000010				
	Vanadium (V)-Dissolved (mg/L)	<0.00050	<0.00050				
	Zinc (Zn)-Dissolved (mg/L)	<0.0010	<0.0010				
	Zirconium (Zr)-Dissolved (mg/L)	<0.00030	<0.00030				
Aggregate Organics	Chemical Oxygen Demand (mg/L)	<10	<10				
Volatile Organic Compounds	Acetone (mg/L)	<0.050	<0.050				
	Acrolein (mg/L)	<0.050	<0.050				
	Acrylonitrile (mg/L)	<0.020	<0.020				
	Benzene (mg/L)	<0.00050	<0.00050				
	Bromobenzene (mg/L)	<0.0010	<0.0010				
	Bromochloromethane (mg/L)	<0.0010	<0.0010				
	Bromodichloromethane (mg/L)	<0.00050	<0.00050				
	Bromoform (mg/L)	<0.00050	<0.00050				
	Bromomethane (mg/L)	<0.0010	<0.0010				
	2-Butanone (MEK) (mg/L)	<0.020	<0.020				
	n-Butylbenzene (mg/L)	<0.0010	<0.0010				
	sec-Butylbenzene (mg/L)	<0.0010	<0.0010				
	tert-Butylbenzene (mg/L)	<0.0010	<0.0010				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2566281-1 Surface Water 11-MAR-21 11:00 MICH-13.0	L2566281-2 Surface Water 11-MAR-21 12:45 AND1	L2566281-3 Surface Water 11-MAR-21 10:30 DUPLICATE	L2566281-4 Surface Water 11-MAR-21 12:15 MICH-33.8	L2566281-5 Surface Water 11-MAR-21 13:30 MICH-39.1
Grouping	Analyte						
WATER							
Volatile Organic Compounds	Carbon disulfide (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	Carbon tetrachloride (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Chlorobenzene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Dibromochloromethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Chloroethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	Chloroform (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Chloromethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	2-Chlorotoluene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	4-Chlorotoluene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,2-Dibromo-3-chloropropane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	Ethylene dibromide (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Dibromomethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	cis-1,4-Dichloro-2-butene (mg/L)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	trans-1,4-Dichloro-2-butene (mg/L)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	1,2-Dichlorobenzene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,3-Dichlorobenzene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,4-Dichlorobenzene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Dichlorodifluoromethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,1-Dichloroethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,2-Dichloroethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,1-Dichloroethene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	cis-1,2-Dichloroethene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	trans-1,2-Dichloroethene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Methylene chloride (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,2-Dichloropropane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,3-Dichloropropane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	2,2-Dichloropropane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,1-Dichloropropene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	cis-1,3-Dichloropropene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	trans-1,3-Dichloropropene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	Ethanol (mg/L)	<0.20	<0.20	<0.20	<0.20	<0.20	
	Ethyl methacrylate (mg/L)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Ethylbenzene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Hexachlorobutadiene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	2-Hexanone (mg/L)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Iodomethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	Isopropylbenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2566281-6 Surface Water 11-MAR-21 14:00 FIELD BLANK	L2566281-7 Surface Water 11-MAR-21 14:30 TRIP BLANK			
Grouping	Analyte						
WATER							
Volatile Organic Compounds	Carbon disulfide (mg/L)	<0.0010	<0.0010				
	Carbon tetrachloride (mg/L)	<0.00050	<0.00050				
	Chlorobenzene (mg/L)	<0.00050	<0.00050				
	Dibromochloromethane (mg/L)	<0.00050	<0.00050				
	Chloroethane (mg/L)	<0.0010	<0.0010				
	Chloroform (mg/L)	<0.00050	<0.00050				
	Chloromethane (mg/L)	<0.0010	<0.0010				
	2-Chlorotoluene (mg/L)	<0.0010	<0.0010				
	4-Chlorotoluene (mg/L)	<0.0010	<0.0010				
	1,2-Dibromo-3-chloropropane (mg/L)	<0.0010	<0.0010				
	Ethylene dibromide (mg/L)	<0.00050	<0.00050				
	Dibromomethane (mg/L)	<0.00050	<0.00050				
	cis-1,4-Dichloro-2-butene (mg/L)	<0.0050	<0.0050				
	trans-1,4-Dichloro-2-butene (mg/L)	<0.0050	<0.0050				
	1,2-Dichlorobenzene (mg/L)	<0.00050	<0.00050				
	1,3-Dichlorobenzene (mg/L)	<0.00050	<0.00050				
	1,4-Dichlorobenzene (mg/L)	<0.00050	<0.00050				
	Dichlorodifluoromethane (mg/L)	<0.00050	<0.00050				
	1,1-Dichloroethane (mg/L)	<0.00050	<0.00050				
	1,2-Dichloroethane (mg/L)	<0.0010	<0.0010				
	1,1-Dichloroethene (mg/L)	<0.00050	<0.00050				
	cis-1,2-Dichloroethene (mg/L)	<0.0010	<0.0010				
	trans-1,2-Dichloroethene (mg/L)	<0.00050	<0.00050				
	Methylene chloride (mg/L)	<0.0010	<0.0010				
	1,2-Dichloropropane (mg/L)	<0.00050	<0.00050				
	1,3-Dichloropropane (mg/L)	<0.0010	<0.0010				
	2,2-Dichloropropane (mg/L)	<0.0010	<0.0010				
	1,1-Dichloropropene (mg/L)	<0.0010	<0.0010				
	cis-1,3-Dichloropropene (mg/L)	<0.00050	<0.00050				
	trans-1,3-Dichloropropene (mg/L)	<0.0010	<0.0010				
	Ethanol (mg/L)	<0.20	<0.20				
	Ethyl methacrylate (mg/L)	<0.0050	<0.0050				
	Ethylbenzene (mg/L)	<0.00050	<0.00050				
	Hexachlorobutadiene (mg/L)	<0.0010	<0.0010				
	2-Hexanone (mg/L)	<0.0050	<0.0050				
	Iodomethane (mg/L)	<0.0010	<0.0010				
	Isopropylbenzene (mg/L)	<0.0010	<0.0010				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2566281-1 Surface Water 11-MAR-21 11:00 MICH-13.0	L2566281-2 Surface Water 11-MAR-21 12:45 AND1	L2566281-3 Surface Water 11-MAR-21 10:30 DUPLICATE	L2566281-4 Surface Water 11-MAR-21 12:15 MICH-33.8	L2566281-5 Surface Water 11-MAR-21 13:30 MICH-39.1
Grouping	Analyte						
WATER							
Volatile Organic Compounds	p-Isopropyltoluene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	4-Methyl-2-pentanone (MIBK) (mg/L)	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	
	Methyl-t-butyl ether (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	n-Propylbenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	Styrene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,1,1,2-Tetrachloroethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,1,2,2-Tetrachloroethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Tetrachloroethylene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Toluene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,2,3-Trichlorobenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,2,4-Trichlorobenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,3,5-Trichlorobenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,1,1-Trichloroethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,1,2-Trichloroethane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Trichloroethene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Trichlorofluoromethane (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,2,3-Trichloropropane (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	1,2,4-Trimethylbenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	1,3,5-Trimethylbenzene (mg/L)	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
	Vinyl chloride (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	o-Xylene (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	m+p-Xylenes (mg/L)	<0.00050	<0.00050	<0.00050	<0.00050	<0.00050	
	Xylenes (mg/L)	<0.00071	<0.00071	<0.00071	<0.00071	<0.00071	
	Surrogate: 4-Bromofluorobenzene (%)	72.6	75.2	71.3	92.6	74.6	
	Surrogate: 3,4-Dichlorotoluene (%)	117.0	124.1	99.9	92.7	128.6	
	Surrogate: 1,4-Difluorobenzene (%)	96.2	96.1	96.0	95.3	95.5	
Hydrocarbons	EPH10-19 (ug/L)	<100	<100	<100	<100	<100	
	EPH19-32 (ug/L)	<100	<100	<100	<100	<100	
	Surrogate: 2-Bromobenzotrifluoride (%)	102.7	99.9	94.8	97.9	99.1	

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

ALS ENVIRONMENTAL ANALYTICAL REPORT

		Sample ID Description Sampled Date Sampled Time Client ID	L2566281-6 Surface Water 11-MAR-21 14:00 FIELD BLANK	L2566281-7 Surface Water 11-MAR-21 14:30 TRIP BLANK			
Grouping	Analyte						
WATER							
Volatile Organic Compounds	p-Isopropyltoluene (mg/L)	<0.0010	<0.0010				
	4-Methyl-2-pentanone (MIBK) (mg/L)	<0.0050	<0.0050				
	Methyl-t-butyl ether (mg/L)	<0.00050	<0.00050				
	n-Propylbenzene (mg/L)	<0.0010	<0.0010				
	Styrene (mg/L)	<0.00050	<0.00050				
	1,1,1,2-Tetrachloroethane (mg/L)	<0.0010	<0.0010				
	1,1,2,2-Tetrachloroethane (mg/L)	<0.00050	<0.00050				
	Tetrachloroethylene (mg/L)	<0.00050	<0.00050				
	Toluene (mg/L)	<0.00050	<0.00050				
	1,2,3-Trichlorobenzene (mg/L)	<0.0010	<0.0010				
	1,2,4-Trichlorobenzene (mg/L)	<0.0010	<0.0010				
	1,3,5-Trichlorobenzene (mg/L)	<0.0010	<0.0010				
	1,1,1-Trichloroethane (mg/L)	<0.00050	<0.00050				
	1,1,2-Trichloroethane (mg/L)	<0.00050	<0.00050				
	Trichloroethene (mg/L)	<0.00050	<0.00050				
	Trichlorofluoromethane (mg/L)	<0.0010	<0.0010				
	1,2,3-Trichloropropane (mg/L)	<0.00050	<0.00050				
	1,2,4-Trimethylbenzene (mg/L)	<0.0010	<0.0010				
	1,3,5-Trimethylbenzene (mg/L)	<0.0010	<0.0010				
	Vinyl chloride (mg/L)	<0.00050	<0.00050				
	o-Xylene (mg/L)	<0.00050	<0.00050				
	m+p-Xylenes (mg/L)	<0.00050	<0.00050				
	Xylenes (mg/L)	<0.00071	<0.00071				
	Surrogate: 4-Bromofluorobenzene (%)	71.2	73.8				
	Surrogate: 3,4-Dichlorotoluene (%)	94.5	126.3				
	Surrogate: 1,4-Difluorobenzene (%)	95.2	96.5				
Hydrocarbons	EPH10-19 (ug/L)	<100	<100				
	EPH19-32 (ug/L)	<100	<100				
	Surrogate: 2-Bromobenzotrifluoride (%)	93.2	89.0				

* Please refer to the Reference Information section for an explanation of any qualifiers detected.

Reference Information

QC Samples with Qualifiers & Comments:

QC Type Description	Parameter	Qualifier	Applies to Sample Number(s)
Matrix Spike	Barium (Ba)-Dissolved	MS-B	L2566281-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Calcium (Ca)-Dissolved	MS-B	L2566281-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Magnesium (Mg)-Dissolved	MS-B	L2566281-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Sodium (Na)-Dissolved	MS-B	L2566281-1, -2, -3, -4, -5, -6, -7
Matrix Spike	Strontium (Sr)-Dissolved	MS-B	L2566281-1, -2, -3, -4, -5, -6, -7

Qualifiers for Individual Parameters Listed:

Qualifier	Description
DLHC	Detection Limit Raised: Dilution required due to high concentration of test analyte(s).
MS-B	Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
BE-D-L-CCMS-CL	Water	Diss. Be (low) in Water by CRC ICPMS	APHA 3030B/6020A (mod)
Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
BE-T-L-CCMS-CL	Water	Total Be (Low) in Water by CRC ICPMS	EPA 200.2/6020A (mod)
Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.			
Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.			
BR-L-IC-N-CL	Water	Bromide in Water by IC (Low Level)	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
C-DIS-ORG-LOW-CL	Water	Dissolved Organic Carbon	APHA 5310 B-Instrumental
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.			
TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
C-TOT-ORG-LOW-CL	Water	Total Organic Carbon	APHA 5310 TOTAL ORGANIC CARBON (TOC)
This method is applicable to the analysis of ground water, wastewater, and surface water samples. The form detected depends upon sample pretreatment: Unfiltered sample = TC, 0.45um filtered = TDC. Samples are injected into a combustion tube containing an oxidation catalyst. The carrier gas containing the combustion product from the combustion tube flows through an inorganic carbon reactor vessel and is then sent through a halogen scrubber into a sample cell set in a non-dispersive infrared gas analyzer (NDIR) where carbon dioxide is detected. For total inorganic carbon and dissolved inorganic carbon, the sample is injected into an IC reactor vessel where only the IC component is decomposed to become carbon dioxide.			
The peak area generated by the NDIR indicates the TC/TDC or TIC/DIC as applicable. The total organic carbon content of the sample is calculated by subtracting the TIC from the TC.			
TOC = TC-TIC, DOC = TDC-DIC, Particulate = Total - Dissolved.			
CL-IC-N-CL	Water	Chloride in Water by IC	EPA 300.1 (mod)
Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.			
COD-T-COL-CL	Water	Chemical Oxygen Demand (COD)	APHA 5220 D Colorimetry
Samples are analyzed using the closed reflux colourimetric method			
COLOUR-TRUE-CL	Water	Colour (True) by Spectrometer	APHA 2120 Color
True Colour is measured spectrophotometrically by comparison to platinum-cobalt standards using the single wavelength method (450 - 465 nm) after filtration of sample through a 0.45 um filter. Colour measurements can be highly pH dependent, and apply to the pH of the sample as received (at time of testing), without pH adjustment. Concurrent measurement of sample pH is recommended.			
EPH-L-ME-FID-CL	Water	EPH (C10-C19) & EPH (C19-C32)	BC Lab manual
EPH is extracted from water using a hexane micro-extraction technique, with analysis by GC-FID, as per the BC Lab Manual. EPH results include			

Reference Information

PAHs and are therefore not equivalent to LEPH or HEPH.

F-IC-N-CL Water Fluoride in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

HARDNESS-CALC-CL Water Hardness APHA 2340 B

Hardness (also known as Total Hardness) is calculated from the sum of Calcium and Magnesium concentrations, expressed in CaCO₃ equivalents. Dissolved Calcium and Magnesium concentrations are preferentially used for the hardness calculation.

HG-D-CVAA-CL Water Dissolved Mercury in Water by CVAAS APHA 3030B/EPA 1631E (mod)

Water samples are filtered (0.45 µm), preserved with hydrochloric acid, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.

HG-T-CVAA-CL Water Total Mercury in Water by CVAAS EPA 1631E (mod)

Water samples undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.

MET-D-CCMS-CL Water Dissolved Metals in Water by CRC ICPMS APHA 3030B/6020A (mod)

Water samples are filtered (0.45 µm), preserved with nitric acid, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MET-T-CCMS-CL Water Total Metals in Water by CRC ICPMS EPA 200.2/6020A (mod)

Water samples are digested with nitric and hydrochloric acids, and analyzed by CRC ICPMS.

Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.

MTBE-ADD-CL Water MTBE - additional to BTEX EPA 8260C/5021A

The water sample, with added reagents, is heated in a sealed vial to equilibrium. The headspace from the vial is transferred into a gas chromatograph. MTBE Target compound concentration is measured using mass spectrometry detection.

NH3-L-F-CL Water Ammonia, Total (as N) J. ENVIRON. MONIT., 2005, 7, 37-42, RSC

This analysis is carried out, on sulfuric acid preserved samples, using procedures modified from J. Environ. Monit., 2005, 7, 37 - 42, The Royal Society of Chemistry, "Flow-injection analysis with fluorescence detection for the determination of trace levels of ammonium in seawater", Roslyn J. Weston et al.

NO2-L-IC-N-CL Water Nitrite in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

NO3-L-IC-N-CL Water Nitrate in Water by IC (Low Level) EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

P-T-L-COL-CL Water Phosphorus (P)-Total APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorus is determined colourimetrically after persulphate digestion of the sample.

PH/EC/ALK-ED Water pH, Conductivity and Total Alkalinity APHA 4500-H, 2510, 2320

All samples analyzed by this method for pH will have exceeded the 15 minute recommended hold time from time of sampling (field analysis is recommended for pH where highly accurate results are needed).

pH measurement is determined from the activity of the hydrogen ions using a hydrogen electrode and a reference electrode.

Alkalinity measurement is based on the sample's capacity to neutralize acid. Auto-titration to pH 4.5 using 0.02N H₂SO₄ is performed.

Conductivity measurement is based on the sample's capacity to convey an electric current, and is measured with a conductivity meter.

PO4-DO-L-COL-CL Water Orthophosphate-Dissolved (as P) APHA 4500-P PHOSPHORUS

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Dissolved Orthophosphate is determined colourimetrically on a sample that has been lab or field filtered through a 0.45 micron membrane filter.

SO4-IC-N-CL Water Sulfate in Water by IC EPA 300.1 (mod)

Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.

SOLIDS-TDS-CL Water Total Dissolved Solids APHA 2540 C

A well-mixed sample is filtered through a glass fibre filter paper. The filtrate is then evaporated to dryness in a pre-weighed vial and dried at 180 – 2 °C. The increase in vial weight represents the total dissolved solids (TDS).

TKN-L-F-CL Water Total Kjeldahl Nitrogen APHA 4500-NORG (TKN)

This analysis is carried out using procedures adapted from APHA Method 4500-Norg D. "Block Digestion and Flow Injection Analysis". Total Kjeldahl Nitrogen is determined using block digestion followed by Flow-injection analysis with fluorescence detection.

TSS-CL Water Total Suspended Solids APHA 2540 D-Gravimetric

Reference Information

This analysis is carried out using procedures adapted from APHA Method 2540 "Solids". Solids are determined gravimetrically. Total suspended solids (TSS) are determined by filtering a sample through a glass fibre filter, and by drying the filter at 104 deg. C.

TURBIDITY-CL Water Turbidity APHA 2130 B-Nephelometer

This analysis is carried out using procedures adapted from APHA Method 2130 "Turbidity". Turbidity is determined by the nephelometric method.

VOC-HS-MS-CL Water VOCs in Water EPA 8260C/5021A

The water sample, with added reagents, is heated in a sealed vial to equilibrium. The headspace from the vial is transferred into a gas chromatograph. VOC Target compound concentrations are measured using mass spectrometry detection.

XYLENES-CALC-CL Water Sum of Xylene Isomer Concentrations CALCULATION

Calculation of Total Xylenes

Total Xylenes is the sum of the concentrations of the ortho, meta, and para Xylene isomers. Results below detection limit (DL) are treated as zero. The DL for Total Xylenes is set to a value no less than the square root of the sum of the squares of the DLs of the individual Xylenes.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
ED	ALS ENVIRONMENTAL - EDMONTON, ALBERTA, CANADA
CL	ALS ENVIRONMENTAL - CALGARY, ALBERTA, CANADA

Chain of Custody Numbers:

GLOSSARY OF REPORT TERMS

Surrogate - A compound that is similar in behaviour to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

mg/kg - milligrams per kilogram based on dry weight of sample.

mg/kg ww - milligrams per kilogram based on wet weight of sample.

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight of sample.

mg/L - milligrams per litre.

< - Less than.

D.L. - The reported Detection Limit, also known as the Limit of Reporting (LOR).

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.


UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

BC EPH HYDROCARBON DISTRIBUTION REPORT

ALS Sample ID: L2566281-1

Client Sample ID: MICH-13.0



← EPH10-19 →		← EPH19-32 →	
nC10	nC19	nC32	
174°C	330°C	467°C	
346°F	626°F	873°F	
← Gasoline →		← Motor Oils/ Lube Oils/ Grease →	
← Diesel/ Jet Fuels →			

The BC EPH Hydrocarbon Distribution Report (HDR) is intended to assist you in characterizing hydrocarbon products that may be present in your sample.

The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products and three n-alkane hydrocarbon marker compounds. Retention times may vary between samples, but general patterns and distributions will remain similar.


Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.

A "-L-" in the sample ID denotes a low level sample. A "-S-" denotes a silica gel cleaned sample.

Note: This chromatogram was produced using GC conditions that are specific to the ALS Canada EPH method. Refer to the ALS Canada EPH Hydrocarbon Library for a collection of chromatograms from common reference samples (fuels, oils, etc.). The HDR library can be found at www.alsglobal.com.

BC EPH HYDROCARBON DISTRIBUTION REPORT

ALS Sample ID: L2566281-2
Client Sample ID: AND1



← EPH10-19 →		← EPH19-32 →	
nC10	nC19	nC32	
174°C	330°C	467°C	
346°F	626°F	873°F	
← Gasoline →	← Motor Oils/ Lube Oils/ Grease →		
← Diesel/ Jet Fuels →			

The BC EPH Hydrocarbon Distribution Report (HDR) is intended to assist you in characterizing hydrocarbon products that may be present in your sample.

The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products and three n-alkane hydrocarbon marker compounds. Retention times may vary between samples, but general patterns and distributions will remain similar.

Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.


A "-L-" in the sample ID denotes a low level sample. A "-S-" denotes a silica gel cleaned sample.

Note: This chromatogram was produced using GC conditions that are specific to the ALS Canada EPH method. Refer to the ALS Canada EPH Hydrocarbon Library for a collection of chromatograms from common reference samples (fuels, oils, etc.). The HDR library can be found at www.alsglobal.com.

BC EPH HYDROCARBON DISTRIBUTION REPORT

ALS Sample ID: L2566281-3

Client Sample ID: DUPLICATE



← EPH10-19 →		← EPH19-32 →	
nC10	nC19	nC32	
174°C	330°C	467°C	
346°F	626°F	873°F	
← Gasoline →	← Motor Oils/ Lube Oils/ Grease →		
← Diesel/ Jet Fuels →			

The BC EPH Hydrocarbon Distribution Report (HDR) is intended to assist you in characterizing hydrocarbon products that may be present in your sample.

The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products and three n-alkane hydrocarbon marker compounds. Retention times may vary between samples, but general patterns and distributions will remain similar.


Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.

A "-L-" in the sample ID denotes a low level sample. A "-S-" denotes a silica gel cleaned sample.

Note: This chromatogram was produced using GC conditions that are specific to the ALS Canada EPH method. Refer to the ALS Canada EPH Hydrocarbon Library for a collection of chromatograms from common reference samples (fuels, oils, etc.). The HDR library can be found at www.alsglobal.com.

BC EPH HYDROCARBON DISTRIBUTION REPORT

ALS Sample ID: L2566281-4
Client Sample ID: MICH-33.8



← EPH10-19 →		← EPH19-32 →	
nC10	nC19	nC32	
174°C	330°C	467°C	
346°F	626°F	873°F	
← Gasoline →	← Motor Oils/ Lube Oils/ Grease →		
← Diesel/ Jet Fuels →			

The BC EPH Hydrocarbon Distribution Report (HDR) is intended to assist you in characterizing hydrocarbon products that may be present in your sample.

The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products and three n-alkane hydrocarbon marker compounds. Retention times may vary between samples, but general patterns and distributions will remain similar.


Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.

A "-L-" in the sample ID denotes a low level sample. A "-S-" denotes a silica gel cleaned sample.

Note: This chromatogram was produced using GC conditions that are specific to the ALS Canada EPH method. Refer to the ALS Canada EPH Hydrocarbon Library for a collection of chromatograms from common reference samples (fuels, oils, etc.). The HDR library can be found at www.alsglobal.com.

BC EPH HYDROCARBON DISTRIBUTION REPORT

ALS Sample ID: L2566281-5
Client Sample ID: MICH-39.1



← EPH10-19 →		← EPH19-32 →	
nC10	nC19	nC32	
174°C	330°C	467°C	
346°F	626°F	873°F	
← Gasoline →	← Motor Oils/ Lube Oils/ Grease →		
← Diesel/ Jet Fuels →			

The BC EPH Hydrocarbon Distribution Report (HDR) is intended to assist you in characterizing hydrocarbon products that may be present in your sample.

The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products and three n-alkane hydrocarbon marker compounds. Retention times may vary between samples, but general patterns and distributions will remain similar.


Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.

A "-L-" in the sample ID denotes a low level sample. A "-S-" denotes a silica gel cleaned sample.

Note: This chromatogram was produced using GC conditions that are specific to the ALS Canada EPH method. Refer to the ALS Canada EPH Hydrocarbon Library for a collection of chromatograms from common reference samples (fuels, oils, etc.). The HDR library can be found at www.alsglobal.com.

BC EPH HYDROCARBON DISTRIBUTION REPORT

ALS Sample ID: L2566281-6
Client Sample ID: FIELD BLANK



← EPH10-19 →		← EPH19-32 →	
nC10	nC19	nC32	
174°C	330°C	467°C	
346°F	626°F	873°F	
← Gasoline →	← Motor Oils/ Lube Oils/ Grease →		
← Diesel/ Jet Fuels →			

The BC EPH Hydrocarbon Distribution Report (HDR) is intended to assist you in characterizing hydrocarbon products that may be present in your sample.

The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products and three n-alkane hydrocarbon marker compounds. Retention times may vary between samples, but general patterns and distributions will remain similar.

Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.


A "-L-" in the sample ID denotes a low level sample. A "-S-" denotes a silica gel cleaned sample.

Note: This chromatogram was produced using GC conditions that are specific to the ALS Canada EPH method. Refer to the ALS Canada EPH Hydrocarbon Library for a collection of chromatograms from common reference samples (fuels, oils, etc.). The HDR library can be found at www.alsglobal.com.

BC EPH HYDROCARBON DISTRIBUTION REPORT

ALS Sample ID: L2566281-7

Client Sample ID: TRIP BLANK



← EPH10-19 →		← EPH19-32 →	
nC10	nC19	nC32	
174°C	330°C	467°C	
346°F	626°F	873°F	
← Gasoline →	← Motor Oils/ Lube Oils/ Grease →		
← Diesel/ Jet Fuels →			

The BC EPH Hydrocarbon Distribution Report (HDR) is intended to assist you in characterizing hydrocarbon products that may be present in your sample.

The scale at the bottom of the chromatogram indicates the approximate retention times of common petroleum products and three n-alkane hydrocarbon marker compounds. Retention times may vary between samples, but general patterns and distributions will remain similar.

Peak heights in this report are a function of the sample concentration, the sample amount extracted, the sample dilution factor, and the scale at left.

A "-L-" in the sample ID denotes a low level sample. A "-S-" denotes a silica gel cleaned sample.

Note: This chromatogram was produced using GC conditions that are specific to the ALS Canada EPH method. Refer to the ALS Canada EPH Hydrocarbon Library for a collection of chromatograms from common reference samples (fuels, oils, etc.). The HDR library can be found at www.alsglobal.com.

Report To			Report Format / Distribution			Service Requested (Rush for routine analysis subject to availability)											
Company: North Coal Limited			☒ Standard ☐ Other			☒ Regular (Standard Turnaround Times - Business Days)											
Contact:			☒ PDF ☐ Excel ☐ Digital ☐ Fax			☐ Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT											
Address: #5000 Hwy 43			Email 1: barling@northcoal.ca			☐ Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT											
Sparwood, BC, V0B 2G1			Email 2: mike.robinson@lotic.co			☐ Same Day or Weekend Emergency - Contact ALS to Confirm TAT											
Phone: _____ Fax: _____			Email 3: mia.otto@lotic.co														
Invoice To Same as Report? ☐ Yes ☐ No			Client / Project Information			Analysis Request											
Hardcopy of Invoice with Report? ☐ Yes ☐ No			Job #: 18CANA02			Please indicate below Filtered, Preserved or both (F, P, F/P)											
Company: <u>Lotic environmental</u>			PO / AFE: _____														
Contact: <u>Mia OTTO</u>			LSD: _____														
Address: <u>2193 Mazur Road Cranbrook BC V1C 6V9</u>			Quote #: Q75701														
Phone: <u>250-464-9531</u> Fax: _____			ALS Contact: Patryk Wojciak														
Lab Work Order # _____ (lab use only)			Sampler: <u>Mia Otto</u> <u>Rich Smt</u>														
Sample #	Sample Identification (This description will appear on the report)	Date (dd-mmm-yy)	Time (hh:mm)	Sample Type	General	EPH x2	DOC	COD/NH3/TKN/TOC	Total Metals	Dissolved Metals	Dissolved mercury	Total Mercury	VOCx2	Number of Containers			
1	MICH-13.0	11-Mar-21	11:00	Surface Water	X	X	X	X	X	X	X	X	X	11			
2	AND1	↓	12:45	Surface Water	X	X	X	X	X	X	X	X	X	11			
3	Duplicate		10:30	Surface Water	X	X	X	X	X	X	X	X	X	11			
4	MICH-33.8		12:15	Surface Water	X	X	X	X	X	X	X	X	X	11			
5	MICH-39.1		13:30	Surface Water	X	X	X	X	X	X	X	X	X	11			
6	Field Blank		14:00	Surface Water	x	x	x	x	x	x	x	x	x	11			
7	TRIP Blank		14:30	Surface Water	X	X	X	X	X	X	X	X	X	11			
 L2566281-COFC																	
Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Details																	
Both VOCs and DOC for duplicate not preserved.																	
Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY.																	
By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab.																	
Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses.																	
SHIPMENT RELEASE (client use)					SHIPMENT RECEPTION (lab use only)					SHIPMENT VERIFICATION (lab use only)							
Released by: <u>Rich Smt</u> <u>Mia Otto</u>	Date (dd-mmm-yy) <u>11-Mar-21</u>	Time (hh-mm) <u>16:00</u>	Received by: <u>[Signature]</u>	Date: <u>3/12</u>	Time: <u>8:50</u>	Temperature: <u>9</u> °C	Verified by:	Date:	Time:	Observations: Yes / No ? If Yes add SIF							