

## Site Description

<b>Study Name</b>	CBWQ-Slocan
<b>Site</b>	NJWIN01
<b>Sampling Date</b>	Nov 07 2006
<b>Know Your Watershed Basin</b>	Slocan
<b>Province / Territory</b>	British Columbia
<b>Terrestrial Ecological Classification</b>	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
<b>Coordinates (decimal degrees)</b>	49.60500 N, 117.54389 W
<b>Altitude</b>	2037
<b>Local Basin Name</b>	Winlaw Cr
	Columbia
<b>Stream Order</b>	3



Figure 1. Location Map

Across Reach (No image found)  
 Aerial (No image found)  
 Down Stream (No image found)  
 Field Sheet (No image found)  
 Miscellaneous (No image found)  
 Substrate (No image found)  
 Up Stream (No image found)

## Cabin Assessment Results

		<b>Reference Model Summary</b>				
<b>Model</b>	Columbia-Okanagan Preliminary March 2010					
<b>Analysis Date</b>	September 15, 2017					
<b>Taxonomic Level</b>	Family					
<b>Predictive Model Variables</b>	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%					
<b>Reference Groups</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	
<b>Number of Reference Sites</b>	9	43	17	12	33	
<b>Group Error Rate</b>	22.2%	24.5%	22.2%	25.0%	32.4%	
<b>Overall Model Error Rate</b>	26.4%					
<b>Probability of Group Membership</b>	0.0%	12.1%	9.7%	70.6%	7.5%	
<b>CABIN Assessment of NJWIN01 on Nov 07, 2006</b>	Similar to Reference					




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

**Sample Information**

<b>Sampling Device</b>	Kick Net
<b>Mesh Size</b>	400
<b>Sampling Time</b>	3
<b>Taxonomist</b>	Gary Lester, Ecoanalysts Inc.
<b>Date Taxonomy Completed</b>	March 22, 2008
	Marchant Box
<b>Sub-Sample Proportion</b>	100/100

**Community Structure**

Phylum	Class	Order	Family	Raw Count	Total Count
Annelida				1	1.0
Arthropoda	Arachnida			16	16.0
		Insecta			
		Coleoptera	Elmidae	13	13.0
		Diptera	Ceratopogonidae	1	1.0
			Chironomidae	131	131.0
			Empididae	4	4.0
			Psychodidae	1	1.0
			Tipulidae	1	1.0
		Ephemeroptera	Ameletidae	44	44.0
			Baetidae	843	843.0
			Ephemerellidae	20	20.0
			Heptageniidae	109	109.0
			Leptophlebiidae	2	2.0
		Plecoptera	Capniidae	19	19.0
			Chloroperlidae	10	10.0

## Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
			Nemouridae	15	15.0
			Perlidae	3	3.0
			Perlodidae	2	2.0
			Taeniopterygidae	101	101.0
		Trichoptera	Brachycentridae	9	9.0
			Hydropsychidae	1	1.0
			Hydroptilidae	1	1.0
			Limnephilidae	2	2.0
			Rhyacophilidae	13	13.0
			Total	1,362	1,362.0

## Metrics

Name	NJWIN01	Predicted Group Reference Mean $\pm$ SD
Bray-Curtis Distance	0.55	0.4 $\pm$ 0.1
<b>Biotic Indices</b>		
Hilsenhoff Family index (North-West)	3.8	3.2 $\pm$ 0.3
Intolerant taxa	--	
Long-lived taxa	2.0	2.1 $\pm$ 1.0
Tolerant individuals (%)	--	0.8 $\pm$ 0.3
<b>Functional Measures</b>		
% Filterers	0.7	2.2 $\pm$ 1.8
% Gatherers	25.6	38.4 $\pm$ 12.4
% Predatores	12.1	19.0 $\pm$ 8.5
% Scrapers	79.3	63.2 $\pm$ 19.7
% Shredder	11.7	27.6 $\pm$ 15.2
No. Clinger Taxa	16.0	23.2 $\pm$ 6.3
<b>Number Of Individuals</b>		
% Chironomidae	9.7	7.4 $\pm$ 6.4
% Coleoptera	1.0	1.5 $\pm$ 3.9
% Diptera + Non-insects	10.3	10.8 $\pm$ 7.6
% Ephemeroptera	75.7	51.7 $\pm$ 18.8
% Ephemeroptera that are Baetidae	82.8	40.6 $\pm$ 30.0
% EPT Individuals	88.8	87.7 $\pm$ 7.4
% Odonata	0.0	0.0 $\pm$ 0.0
% of 2 dominant taxa	72.4	57.9 $\pm$ 14.2
% of 5 dominant taxa	91.3	81.6 $\pm$ 7.9
% of dominant taxa	62.7	39.8 $\pm$ 14.9
% Plecoptera	11.2	31.4 $\pm$ 15.4
% Tribe Tanyatarisini	--	
% Trichoptera that are Hydropsychida	3.8	27.0 $\pm$ 26.2
% Tricoptera	1.9	4.5 $\pm$ 2.8
No. EPT individuals/Chironomids+EPT Individuals	0.9	0.9 $\pm$ 0.1
Total Abundance	1362.0	587.4 $\pm$ 299.1
<b>Richness</b>		
Chironomidae taxa (genus level only)	1.0	1.0 $\pm$ 0.0
Coleoptera taxa	1.0	0.4 $\pm$ 0.5
Diptera taxa	5.0	3.3 $\pm$ 1.0
Ephemeroptera taxa	5.0	3.8 $\pm$ 0.8
EPT Individuals (Sum)	1194.0	526.0 $\pm$ 285.8
EPT taxa (no)	16.0	13.3 $\pm$ 2.7
Odonata taxa	0.0	0.0 $\pm$ 0.0
Pielou's Evenness	0.5	0.7 $\pm$ 0.1
Plecoptera taxa	6.0	6.3 $\pm$ 1.1
Shannon-Wiener Diversity	1.4	1.9 $\pm$ 0.4
Simpson's Diversity	0.6	0.8 $\pm$ 0.1
Simpson's Evenness	0.1	0.3 $\pm$ 0.1
Total No. of Taxa	22.0	19.3 $\pm$ 3.7
Trichoptera taxa	5.0	3.2 $\pm$ 1.4

### Frequency and Probability of Taxa Occurrence

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NJWIN01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.81
Chironomidae	100%	100%	100%	100%	95%	1.00
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.84
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.88

### RIVPACS Ratios

RIVPACS : Expected taxa P>0.50	14.17
RIVPACS : Observed taxa P>0.50	15.00
RIVPACS : O:E (p > 0.5)	1.06
RIVPACS : Expected taxa P>0.70	11.28
RIVPACS : Observed taxa P>0.70	12.00
RIVPACS : O:E (p > 0.7)	1.06

### Habitat Description

Variable	NJWIN01	Predicted Group Reference Mean $\pm$ SD
<b>Bedrock Geology</b>		
Alluvium (%)	0.00000	0.00000 $\pm$ 0.00000
Intrusive (%)	100.00000	11.07346 $\pm$ 28.63466
Metamorphic (%)	0.00000	17.96649 $\pm$ 35.53463
Sedimentary (%)	0.00000	70.96005 $\pm$ 44.90394
Ultramafic (%)	0.00000	0.00000 $\pm$ 0.00000
Volcanic (%)	0.00000	0.00000 $\pm$ 0.00000
<b>Channel</b>		
Depth-Avg (cm)	12.3	23.6 $\pm$ 11.1
Depth-BankfullMinusWetted (cm)	54.00	51.38 $\pm$ 29.42
Depth-Max (cm)	15.0	34.6 $\pm$ 12.3
Macrophyte (PercentRange)	1	0 $\pm$ 0
Reach-%CanopyCoverage (PercentRange)	4.00	1.33 $\pm$ 0.78
Reach-%Logging (PercentRange)	2	0 $\pm$ 0
Reach-Pools (Binary)	0	1 $\pm$ 0
Reach-Rapids (Binary)	0	0 $\pm$ 0
Reach-Riffles (Binary)	1	1 $\pm$ 0
Reach-StraightRun (Binary)	0	1 $\pm$ 1
Slope (m/m)	1.000000	0.0546683 $\pm$ 0.0376269
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	1	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.34	0.48 $\pm$ 0.22
Velocity-Max (m/s)	0.40	0.76 $\pm$ 0.36
Width-Bankfull (m)	8.0	13.4 $\pm$ 9.9
Width-Wetted (m)	5.0	8.5 $\pm$ 5.8
XSEC-VelInstrumentDirect (Category (1-3))	3	0 $\pm$ 0
XSEC-VelMethod (Category (1-3))	3	1 $\pm$ 0
<b>Climate</b>		
Precip01_JAN (mm)	129.00000	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	107.00000	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	98.00000	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	129.00000	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	88.00000	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	94.00000	78.56667 $\pm$ 15.58521

## Habitat Description

Variable	NJWIN01	Predicted Group Reference Mean $\pm$ SD
Precip07_JUL (mm)	72.00000	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	68.00000	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	67.00000	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	80.00000	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	128.00000	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	143.00000	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1157.00000	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-4.00000	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-10.00000	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-1.00000	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-8.00000	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	2.00000	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-6.00000	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	7.00000	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-2.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	11.00000	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	1.00000	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	15.00000	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	4.00000	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	19.00000	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	7.00000	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	19.00000	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	7.00000	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	14.00000	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	2.00000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	6.00000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.00000	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.00000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-6.00000	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-10.00000	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	6.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	2.00000	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-2.00000	-2.18056 $\pm$ 2.41152
<b>Hydrology</b>		
Drainage-Area (km <sup>2</sup> )	40.06132	124.42081 $\pm$ 200.99192
Perimeter (Km)	41.74813	64.71360 $\pm$ 56.15436
StreamDensity (m/km <sup>2</sup> )	1739.87308	2246.06682 $\pm$ 604.89962
StreamLength (m)	69701.61	302226.63 $\pm$ 500983.26
<b>Landcover</b>		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	1.49217	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ConiferousDense (%)	0.32639	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	87.08042	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	0.00000	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	0.32570	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	0.00000	1.87556 $\pm$ 1.68508
Natl-Herb (%)	1.88099	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.00000	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	0.00000	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	5.08488	4.98298 $\pm$ 3.22579

## Habitat Description

Variable	NJWIN01	Predicted Group Reference Mean $\pm$ SD
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	0.00000	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.01897	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.00000	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.00000	0.02487 $\pm$ 0.06034
<b>Substrate Data</b>		
%Bedrock (%)	0	0 $\pm$ 0
%Boulder (%)	1	9 $\pm$ 9
%Cobble (%)	99	51 $\pm$ 15
%Gravel (%)	0	3 $\pm$ 3
%Pebble (%)	0	37 $\pm$ 20
%Sand (%)	0	0 $\pm$ 0
%Silt+Clay (%)	0	0 $\pm$ 0
D50 (cm)	14.00	15.12 $\pm$ 14.26
Dg (cm)	14.6	8.2 $\pm$ 2.8
Dominant-1st (Category(0-9))	7	7 $\pm$ 1
Dominant-2nd (Category(0-9))	6	7 $\pm$ 1
Embeddedness (Category(1-5))	4	5 $\pm$ 1
SurroundingMaterial (Category(0-9))	3	4 $\pm$ 1
<b>Topography</b>		
ElevationMax (m)	2162.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	615.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	322.54275	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	21.74509	18.88386 $\pm$ 9.29866
Slope30-50% (%)	40.29108	29.00215 $\pm$ 6.33837
Slope50-60% (%)	15.70193	13.91808 $\pm$ 1.91315
SlopeAvg (%)	42.04234	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	16.58446	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	27.42253	21.60770 $\pm$ 8.54172
SlopeMax (%)	134.47057	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.59331	0.19777 $\pm$ 0.29213
SlopeStdev (%)	18.49612	26.57529 $\pm$ 4.62351
<b>Water Chemistry</b>		
General-Alkalinity (mg/L)	40.0000000	71.7000000 $\pm$ 53.9231440
General-DO (mg/L)	10.0000000	11.4175000 $\pm$ 0.7986708
General-Hardness (mg/L)	28.0000000	84.2750000 $\pm$ 70.6251066
General-pH (pH)	7.5	7.9 $\pm$ 0.4
General-SpCond ( $\mu$ S/cm)	82.6000000	168.9833333 $\pm$ 123.7858182
General-TempAir (Degrees Celsius)	13.0	26.0
General-TempWater (Degrees Celsius)	5.0000000	7.3183333 $\pm$ 2.7240839
General-Turbidity (NTU)	0.1000000	0.2020000

**Site Description**

<b>Study Name</b>	CBWQ-Slocan
<b>Site</b>	NJWIN01
<b>Sampling Date</b>	Sep 16 2010
<b>Know Your Watershed Basin</b>	Slocan
<b>Province / Territory</b>	British Columbia
<b>Terrestrial Ecological Classification</b>	Montane Cordillera EcoZone Columbia Mountains and Highlands EcoRegion
<b>Coordinates (decimal degrees)</b>	49.60500 N, 117.54389 W
<b>Altitude</b>	2037
<b>Local Basin Name</b>	Winlaw Cr
	Columbia
<b>Stream Order</b>	3



Figure 1. Location Map

Across Reach  
Aerial (No image found)



Down Stream  
Field Sheet (No image found)  
Miscellaneous (No image found)



Substrate



Up Stream

### Cabin Assessment Results

Reference Model Summary	
<b>Model</b>	Columbia-Okanagan Preliminary March 2010
<b>Analysis Date</b>	September 15, 2017
<b>Taxonomic Level</b>	Family



**Cabin Assessment Results**

<b>Predictive Model Variables</b>	Depth-Avg Latitude Longitude Reg-Ice Reg-SlopeLT30%				
<b>Reference Groups</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
<b>Number of Reference Sites</b>	9	43	17	12	33
<b>Group Error Rate</b>	22.2%	24.5%	22.2%	25.0%	32.4%
<b>Overall Model Error Rate</b>	26.4%				
<b>Probability of Group Membership</b>	0.0%	12.9%	9.8%	69.7%	7.6%
<b>CABIN Assessment of NJWIN01 on Sep 16, 2010</b>	Similar to Reference				




Figure 3. CABIN ordination assessment of the test site with the predicted group of reference sites. Each axis represents the relative abundance of the entire benthic invertebrate community with different organisms weighted differently on each axis.

**Sample Information**

<b>Sampling Device</b>	Kick Net
<b>Mesh Size</b>	400
<b>Sampling Time</b>	3
<b>Taxonomist</b>	Gary Lester, Ecoanalysts Inc.
<b>Date Taxonomy Completed</b>	October 05, 2010
	Marchant Box
<b>Sub-Sample Proportion</b>	100/100

## Community Structure

Phylum	Class	Order	Family	Raw Count	Total Count
Arthropoda	Arachnida			18	18.0
		Trombidiformes	Hydryphantidae	1	1.0
			Hygrobatidae	3	3.0
			Lebertiidae	10	10.0
			Torrenticolidae	9	9.0
	Insecta	Coleoptera	Elmidae	37	37.0
		Diptera	Ceratopogonidae	6	6.0
			Chironomidae	18	18.0
			Empididae	4	4.0
			Pelecorhynchidae	1	1.0
			Psychodidae	5	5.0
			Simuliidae	1	1.0
			Tipulidae	1	1.0
		Ephemeroptera	Baetidae	24	24.0
			Ephemerellidae	7	7.0
			Heptageniidae	60	60.0
		Plecoptera	Chloroperlidae	12	12.0
			Nemouridae	56	56.0
			Perlidae	10	10.0
			Perlodidae	19	19.0
			Taeniopterygidae	26	26.0
		Trichoptera	Brachycentridae	13	13.0
			Hydropsychidae	18	18.0
			Limnephilidae	2	2.0
			Philopotamidae	6	6.0
			Rhyacophilidae	55	55.0
			Total	422	422.0

## Metrics

Name	NJWIN01	Predicted Group Reference Mean $\pm$ SD
<b>Bray-Curtis Distance</b>	0.48	0.4 $\pm$ 0.1
<b>Biotic Indices</b>		
<b>Hilsenhoff Family index (North-West)</b>	2.9	3.2 $\pm$ 0.3
<b>Intolerant taxa</b>	--	
<b>Long-lived taxa</b>	2.0	2.1 $\pm$ 1.0
<b>Tolerant individuals (%)</b>	--	0.8 $\pm$ 0.3
<b>Functional Measures</b>		
<b>% Filterers</b>	9.0	2.2 $\pm$ 1.8
<b>% Gatherers</b>	42.9	38.4 $\pm$ 12.4
<b>% Predatores</b>	39.6	19.0 $\pm$ 8.5
<b>% Scrapers</b>	39.8	63.2 $\pm$ 19.7
<b>% Shredder</b>	32.0	27.6 $\pm$ 15.2
<b>No. Clinger Taxa</b>	15.0	23.2 $\pm$ 6.3
<b>Number Of Individuals</b>		
<b>% Chironomidae</b>	4.5	7.4 $\pm$ 6.4
<b>% Coleoptera</b>	9.2	1.5 $\pm$ 3.9
<b>% Diptera + Non-insects</b>	14.6	10.8 $\pm$ 7.6
<b>% Ephemeroptera</b>	22.5	51.7 $\pm$ 18.8
<b>% Ephemeroptera that are Baetidae</b>	26.4	40.6 $\pm$ 30.0
<b>% EPT Individuals</b>	76.2	87.7 $\pm$ 7.4
<b>% Odonata</b>	0.0	0.0 $\pm$ 0.0
<b>% of 2 dominant taxa</b>	28.7	57.9 $\pm$ 14.2
<b>% of 5 dominant taxa</b>	57.9	81.6 $\pm$ 7.9
<b>% of dominant taxa</b>	14.9	39.8 $\pm$ 14.9
<b>% Plecoptera</b>	30.4	31.4 $\pm$ 15.4
<b>% Tribe Tanyatarisini</b>	--	
<b>% Trichoptera that are Hydropsychida</b>	19.1	27.0 $\pm$ 26.2
<b>% Tricoptera</b>	23.3	4.5 $\pm$ 2.8
<b>No. EPT individuals/Chironomids+EPT Individuals</b>	0.9	0.9 $\pm$ 0.1
<b>Total Abundance</b>	422.0	587.4 $\pm$ 299.1
<b>Richness</b>		

**Metrics**

Name	NJWIN01	Predicted Group Reference Mean $\pm$ SD
<b>Chironomidae taxa (genus level only)</b>	1.0	1.0 $\pm$ 0.0
<b>Coleoptera taxa</b>	1.0	0.4 $\pm$ 0.5
<b>Diptera taxa</b>	7.0	3.3 $\pm$ 1.0
<b>Ephemeroptera taxa</b>	3.0	3.8 $\pm$ 0.8
<b>EPT Individuals (Sum)</b>	308.0	526.0 $\pm$ 285.8
<b>EPT taxa (no)</b>	13.0	13.3 $\pm$ 2.7
<b>Odonata taxa</b>	0.0	0.0 $\pm$ 0.0
<b>Pielou's Evenness</b>	0.8	0.7 $\pm$ 0.1
<b>Plecoptera taxa</b>	5.0	6.3 $\pm$ 1.1
<b>Shannon-Wiener Diversity</b>	2.7	1.9 $\pm$ 0.4
<b>Simpson's Diversity</b>	0.9	0.8 $\pm$ 0.1
<b>Simpson's Evenness</b>	0.5	0.3 $\pm$ 0.1
<b>Total No. of Taxa</b>	25.0	19.3 $\pm$ 3.7
<b>Trichoptera taxa</b>	5.0	3.2 $\pm$ 1.4

**Frequency and Probability of Taxa Occurrence**

Reference Model Taxa	Frequency of Occurrence in Reference Sites					Probability Of Occurrence at NJWIN01
	Group 1	Group 2	Group 3	Group 4	Group 5	
Baetidae	100%	100%	100%	100%	97%	1.00
Capniidae	78%	55%	50%	92%	68%	0.81
Chironomidae	100%	100%	100%	100%	95%	1.00
Chloroperlidae	78%	88%	94%	100%	100%	0.98
Ephemerellidae	78%	100%	100%	100%	100%	1.00
Heptageniidae	100%	100%	100%	100%	100%	1.00
Hydropsychidae	11%	92%	78%	92%	86%	0.90
Nemouridae	100%	100%	100%	100%	100%	1.00
Perlidae	11%	84%	33%	100%	3%	0.84
Perlodidae	78%	78%	89%	92%	81%	0.89
Rhyacophilidae	100%	92%	100%	100%	95%	0.99
Taeniopterygidae	89%	49%	100%	92%	97%	0.87

**RIVPACS Ratios**

<b>RIVPACS : Expected taxa P&gt;0.50</b>	14.15
<b>RIVPACS : Observed taxa P&gt;0.50</b>	15.00
<b>RIVPACS : O:E (p &gt; 0.5)</b>	1.06
<b>RIVPACS : Expected taxa P&gt;0.70</b>	11.27
<b>RIVPACS : Observed taxa P&gt;0.70</b>	11.00
<b>RIVPACS : O:E (p &gt; 0.7)</b>	0.98

**Habitat Description**

Variable	NJWIN01	Predicted Group Reference Mean $\pm$ SD
<b>Bedrock Geology</b>		
<b>Alluvium (%)</b>	0.00000	0.00000 $\pm$ 0.00000
<b>Intrusive (%)</b>	100.00000	11.07346 $\pm$ 28.63466
<b>Metamorphic (%)</b>	0.00000	17.96649 $\pm$ 35.53463
<b>Sedimentary (%)</b>	0.00000	70.96005 $\pm$ 44.90394
<b>Ultramafic (%)</b>	0.00000	0.00000 $\pm$ 0.00000
<b>Volcanic (%)</b>	0.00000	0.00000 $\pm$ 0.00000
<b>Channel</b>		
<b>Depth-Avg (cm)</b>	9.3	23.6 $\pm$ 11.1
<b>Depth-Max (cm)</b>	18.2	34.6 $\pm$ 12.3
<b>Macrophyte (PercentRange)</b>	1	0 $\pm$ 0
<b>Reach-%CanopyCoverage (PercentRange)</b>	3.00	1.33 $\pm$ 0.78
<b>Reach-%Logging (PercentRange)</b>	1	0 $\pm$ 0
<b>Reach-Pools (Binary)</b>	0	1 $\pm$ 0
<b>Reach-Rapids (Binary)</b>	0	0 $\pm$ 0
<b>Reach-Riffles (Binary)</b>	1	1 $\pm$ 0
<b>Reach-StraightRun (Binary)</b>	0	1 $\pm$ 1

## Habitat Description

Variable	NJWIN01	Predicted Group Reference Mean $\pm$ SD
Slope (m/m)	1.0000000	0.0546683 $\pm$ 0.0376269
Veg-Coniferous (Binary)	1	1 $\pm$ 0
Veg-Deciduous (Binary)	1	1 $\pm$ 0
Veg-GrassesFerns (Binary)	1	1 $\pm$ 0
Veg-Shrubs (Binary)	1	1 $\pm$ 0
Velocity-Avg (m/s)	0.45	0.48 $\pm$ 0.22
Velocity-Max (m/s)	0.49	0.76 $\pm$ 0.36
Width-Bankfull (m)	8.3	13.4 $\pm$ 9.9
Width-Wetted (m)	5.1	8.5 $\pm$ 5.8
<b>Climate</b>		
Precip01_JAN (mm)	129.00000	104.85000 $\pm$ 26.28129
Precip02_FEB (mm)	107.00000	83.66667 $\pm$ 27.10278
Precip03_MAR (mm)	98.00000	77.23611 $\pm$ 27.15950
Precip04_APR (mm)	129.00000	104.85000 $\pm$ 26.28129
Precip05_MAY (mm)	88.00000	71.65833 $\pm$ 17.81753
Precip06_JUN (mm)	94.00000	78.56667 $\pm$ 15.58521
Precip07_JUL (mm)	72.00000	64.39167 $\pm$ 10.41611
Precip08_AUG (mm)	68.00000	60.53056 $\pm$ 10.43373
Precip09_SEP (mm)	67.00000	56.91944 $\pm$ 10.91783
Precip10_OCT (mm)	80.00000	65.08056 $\pm$ 14.41229
Precip11_NOV (mm)	128.00000	105.93889 $\pm$ 25.04104
Precip12_DEC (mm)	143.00000	116.84444 $\pm$ 29.80954
PrecipTotal_ANNUAL (mm)	1157.00000	952.64722 $\pm$ 226.04690
Temp01_JANMax (Degrees Celsius)	-4.00000	-4.39167 $\pm$ 2.51268
Temp01_JANmin (Degrees Celsius)	-10.00000	-11.40833 $\pm$ 3.53951
Temp02_FEBmax (Degrees Celsius)	-1.00000	-1.70000 $\pm$ 2.12945
Temp02_FEBmin (Degrees Celsius)	-8.00000	-9.17500 $\pm$ 3.33361
Temp03_MARmax (Degrees Celsius)	2.00000	2.50556 $\pm$ 2.87525
Temp03_MARmin (Degrees Celsius)	-6.00000	-6.14167 $\pm$ 2.98556
Temp04_APRmax (Degrees Celsius)	7.00000	7.12222 $\pm$ 3.48771
Temp04_APRmin (Degrees Celsius)	-2.00000	-2.71667 $\pm$ 2.22785
Temp05_MAYmax (Degrees Celsius)	11.00000	12.03889 $\pm$ 3.55434
Temp05_MAYmin (Degrees Celsius)	1.00000	1.04722 $\pm$ 2.08663
Temp06_JUNMax (Degrees Celsius)	15.00000	15.72500 $\pm$ 3.40030
Temp06_JUNMin (Degrees Celsius)	4.00000	4.00278 $\pm$ 2.41085
Temp07_JULmax (Degrees Celsius)	19.00000	19.56111 $\pm$ 3.47275
Temp07_JULmin (Degrees Celsius)	7.00000	6.35833 $\pm$ 2.28332
Temp08_AUGmax (Degrees Celsius)	19.00000	19.52222 $\pm$ 3.51100
Temp08_AUGmin (Degrees Celsius)	7.00000	6.19167 $\pm$ 2.34422
Temp09_SEPmax (Degrees Celsius)	14.00000	14.04444 $\pm$ 3.03456
Temp09_SEPmin (Degrees Celsius)	2.00000	2.04722 $\pm$ 2.37208
Temp10_OCTmax (Degrees Celsius)	6.00000	6.88889 $\pm$ 2.71577
Temp10_OCTmin (Degrees Celsius)	-1.00000	-1.46111 $\pm$ 1.64316
Temp11_NOVmax (Degrees Celsius)	-1.00000	-0.79722 $\pm$ 2.43512
Temp11_NOVmin (Degrees Celsius)	-6.00000	-6.68056 $\pm$ 2.97163
Temp12_DECmax (Degrees Celsius)	-5.00000	-4.66389 $\pm$ 2.69757
Temp12_DECmin (Degrees Celsius)	-10.00000	-10.65833 $\pm$ 3.71739
TempANNUALmax (Degrees Celsius)	6.00000	6.96389 $\pm$ 3.06157
TempANNUALmean (Degrees Celsius)	2.00000	2.25278 $\pm$ 2.66574
TempANNUALmin (Degrees Celsius)	-2.00000	-2.18056 $\pm$ 2.41152
<b>Hydrology</b>		
Drainage-Area (km <sup>2</sup> )	40.06132	124.42081 $\pm$ 200.99192
Perimeter (Km)	41.74813	64.71360 $\pm$ 56.15436
StreamDensity (m/km <sup>2</sup> )	1739.87308	2246.06682 $\pm$ 604.89962
StreamLength (m)	69701.61	302226.63 $\pm$ 500983.26
<b>Landcover</b>		
Natl-AnnCrops (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Barren (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-BroadleafOpen (%)	1.49217	1.19263 $\pm$ 2.03874
Natl-BroadleafSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Coniferous (%)	0.00000	0.00000 $\pm$ 0.00000

## Habitat Description

Variable	NJWIN01	Predicted Group Reference Mean $\pm$ SD
Natl-ConiferousDense (%)	0.32639	0.64845 $\pm$ 0.37668
Natl-ConiferousOpen (%)	87.08042	54.62780 $\pm$ 18.30692
Natl-ConiferousSparse (%)	0.00000	0.94121 $\pm$ 1.53621
Natl-Deciduous (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Developed (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ExposedLand (%)	0.32570	13.20054 $\pm$ 11.11850
Natl-Grassland (%)	0.00000	1.87556 $\pm$ 1.68508
Natl-Herb (%)	1.88099	5.75738 $\pm$ 2.89836
Natl-MixedForest (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodDense (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-MixedwoodOpen (%)	0.00000	0.04060 $\pm$ 0.10208
Natl-MixedwoodSparse (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-PerennCropsPast (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-Rock/Rubble (%)	0.00000	1.56403 $\pm$ 2.75979
Natl-Shrubland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-ShrubLow (%)	5.08488	4.98298 $\pm$ 3.22579
Natl-ShrubTall (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-SnowIce (%)	0.00000	0.08491 $\pm$ 0.15475
Natl-Water (%)	0.01897	0.22916 $\pm$ 0.36834
Natl-Wetland (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandHerb (%)	0.00000	0.12918 $\pm$ 0.35193
Natl-WetlandShrub (%)	0.00000	0.00000 $\pm$ 0.00000
Natl-WetlandTreed (%)	0.00000	0.00000 $\pm$ 0.00000
Reg-Ice (%)	0.00000	0.02487 $\pm$ 0.06034
<b>Substrate Data</b>		
D50 (cm)	8.80	15.12 $\pm$ 14.26
Dominant-1st (Category(0-9))	6	7 $\pm$ 1
Dominant-2nd (Category(0-9))	7	7 $\pm$ 1
Embeddedness (Category(1-5))	5	5 $\pm$ 1
SurroundingMaterial (Category(0-9))	4	4 $\pm$ 1
<b>Topography</b>		
ElevationMax (m)	2162.00000	2634.66667 $\pm$ 309.54023
ElevationMin (m)	615.00000	913.41667 $\pm$ 271.25180
ElevationStdev (m)	322.54275	349.02363 $\pm$ 92.12445
Reg-SlopeLT30% (%)	21.74510	18.88386 $\pm$ 9.29866
Slope30-50% (%)	40.29108	29.00215 $\pm$ 6.33837
Slope50-60% (%)	15.70193	13.91808 $\pm$ 1.91315
SlopeAvg (%)	42.04234	52.79851 $\pm$ 8.68755
SlopeGT60% (%)	16.58446	35.47207 $\pm$ 13.39684
SlopeLT30% (%)	27.42253	21.60770 $\pm$ 8.54172
SlopeMax (%)	134.47057	298.94390 $\pm$ 146.30679
SlopeMin (%)	0.59331	0.19777 $\pm$ 0.29213
SlopeStdev (%)	18.49612	26.57529 $\pm$ 4.62351
<b>Water Chemistry</b>		
General-Alkalinity (mg/L)	54.7000000	71.7000000 $\pm$ 53.9231440
General-Conductivity ( $\mu$ S/cm)	138.0000000	121.8083333 $\pm$ 87.6800844
General-DO (mg/L)	11.0000000	11.4175000 $\pm$ 0.7986708
General-TempAir (Degrees Celsius)	14.5	26.0
General-TempLakeBottom (Degrees Celsius)	9.0000000	0.0000000 $\pm$ 0.0000000
General-Turbidity (NTU)	0.2500000	0.2020000